



Certificate of Analysis

Powered by Confident Cannabis
1 of 3

Curador Labs LLC | MAN000047

7110 N Broadway Ave
Saint Louis, MO 63147
testing@curadorbrands.com

Sample: 2308CWS0020.0100

Strain: Family Affair
Batch#: ; Batch Size: 1012 units
Sample Received: 09/11/2023; Report Created: 09/11/2023; Expires: 09/11/2024

Lic. #MAN000047

Sampling: ; Environment:

HeadChange - Bulk Live Resin Sauce Cart .5g Each - Family Affair

Concentrates & Extracts, Live Resin, Butane
Harvest Process Lot: ; METRC Batch: 30041; METRC Sample: 1A40C0300002906000019715



Safety

Pass Pesticides	Pass Microbials	Pass Mycotoxins
Pass Solvents	Pass Metals	Pass Foreign Matter

Cannabinoids

88.10% Total THC	0.99% Total CBD	NT Moisture
---------------------	--------------------	----------------

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.00	0.38	3.8
Δ9-THC	0.00	87.77	877.7
Δ8-THC	0.00	ND	ND
THCVa	0.00	NR	NR
THCV	0.00	0.24	2.4
CBDa	0.00	0.57	5.7
CBD	0.00	0.49	4.9
CBDVa	0.00	NR	NR
CBDV	0.00	ND	ND
CBNa	0.00	NR	NR
CBN	0.00	0.82	8.2
CBGa	0.00	0.10	1.0
CBG	0.00	0.64	6.4
CBCa	0.00	NR	NR
CBC	0.00	0.99	9.9
CBLa	0.00	NR	NR
CBL	0.00	NR	NR
Total		92.00	920.0

Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877
Instrument: LC-MS/MS

Terpenes

--	--	--

Analyte	LOQ	Mass	Mass	Analyte	LOQ	Mass	Mass
---------	-----	------	------	---------	-----	------	------

Notes:



5151 State Road J
Fulton, MO
(573) 355-6455
<http://www.confidentcannabis.com>
Lic# TES000007

Samples are testing in the same conditions they are obtained, sampling plan available by request.

Simple decision = pass/fail.

Measurement of uncertainty could affect the result but Clearwater does not take it into consideration.

Results only relate to items sampled & tested.

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Certificate of Analysis

Powered by Confident Cannabis
2 of 3

Curador Labs LLC | MAN000047

7110 N Broadway Ave
Saint Louis, MO 63147
testing@curadorbrands.com

Sample: 2308CWS0020.0100

Strain: Family Affair
Batch#: ; Batch Size: 1012 units

Sample Received: 09/11/2023; Report Created: 09/11/2023; Expires: 09/11/2024

Lic. #MAN000047

Sampling: ; Environment:

HeadChange - Bulk Live Resin Sauce Cart .5g Each - Family Affair

Concentrates & Extracts, Live Resin, Butane
Harvest Process Lot: ; METRC Batch: 30041; METRC Sample: 1A40C0300002906000019715



Mycotoxins

Pass

Analyte	cas	LOQ	Limit	Mass	Status
		PPM	PPM	PPM	
B1		0.00	0.02	ND	Pass
B2		0.00	0.02	ND	Pass
G1		0.00	0.02	ND	Pass
G2		0.00	0.02	ND	Pass
Ochratoxin A		0.00	0.02	ND	Pass
Total Aflatoxins		0.00	0.02	ND	Pass

Instrument: LC-MS/MS

Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.000	0.200	0.023	Pass
Cadmium	0.000	0.200	0.021	Pass
Chromium	0.000	0.600	0.058	Pass
Lead	0.000	0.500	0.002	Pass
Mercury	0.000	0.100	0.016	Pass

Instrument: ICP-MS

Microbials

Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aspergillus	1	ND	Pass
Aspergillus flavus	1	ND	Pass
Aspergillus fumigatus	1	ND	Pass
Aspergillus niger	1	ND	Pass
Aspergillus terreus	1	ND	Pass
E. Coli	1	ND	Pass
Salmonella	1	ND	Pass
Yeast & Mold	1	ND	Pass

Yeast and Mold is not tested per MO regulations.
Instrument: PCR

Residual Solvents

Pass

Analyte	cas	LOQ	Limit	Mass	Status
		PPM	PPM	PPM	
1,2-Dichloro-Ethane		111.790	5.000	ND	Pass
Acetone		109.440	5000.000	ND	Pass
Acetonitrile		113.810	410.000	ND	Pass
Benzene		0.570	2.000	ND	Pass
Butane		97.120	5000.000	ND	Pass
Chloroform		0.520	60.000	ND	Pass
Ethanol		118.290	5000.000	ND	Pass
Ethyl-Acetate		94.640	5000.000	ND	Pass
Ethyl-Ether		106.990	5000.000	ND	Pass
Ethylene Oxide		0.680	50.000	ND	Pass
Heptane		182.780	5000.000	ND	Pass
Hexanes		160.290	290.000	ND	Pass
Isopropanol		110.070	5000.000	ND	Pass
Methanol		115.940	3000.000	ND	Pass
Methylene-Chloride		0.790	600.000	ND	Pass
Pentane		111.460	5000.000	ND	Pass
Propane		128.870	5000.000	ND	Pass
Toluene		60.970	890.000	ND	Pass
Trichloroethylene		0.670	80.000	ND	Pass
Xylenes		111.790	2170.000	ND	Pass

Instrument: GC-MS



5151 State Road J
Fulton, MO
(573) 355-6455
<http://www.confidentcannabis.com>
Lic# TES000007

Samples are testing in the same conditions they are obtained, sampling plan available by request.

Simple decision = pass/fail.

Measurement of uncertainty could affect the result but Clearwater does not take it into consideration.

Results only relate to items sampled & tested.

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Certificate of Analysis

Powered by Confident Cannabis
3 of 3

Curador Labs LLC | MAN000047

7110 N Broadway Ave
Saint Louis, MO 63147
testing@curadorbrands.com

Sample: 2308CWS0020.0100

Strain: Family Affair
Batch#: ; Batch Size: 1012 units
Sample Received: 09/11/2023; Report Created: 09/11/2023; Expires: 09/11/2024

Lic. #MAN000047

Sampling: ; Environment:

HeadChange - Bulk Live Resin Sauce Cart .5g Each - Family Affair

Concentrates & Extracts, Live Resin, Butane
Harvest Process Lot: ; METRC Batch: 30041; METRC Sample: 1A40C0300002906000019715



Pesticides

Pass

Analyte	LOQ	Limit	Mass	Status	Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.0004	0.5000	0.0010	Pass	Hexythiazox	0.0004	1.0000	ND	Pass
Acephate	0.0004	0.4000	ND	Pass	Imazalil	0.0004	0.2000	ND	Pass
Acequinocyl	0.0004	2.0000	0.0017	Pass	Imidacloprid	0.0004	0.4000	ND	Pass
Acetamiprid	0.0004	0.2000	0.0091	Pass	Kresoxim Methyl	0.0004	0.4000	ND	Pass
Aldicarb	0.0004	0.4000	0.0010	Pass	Malathion	0.0004	0.2000	ND	Pass
Azoxystrobin	0.0004	0.2000	0.0028	Pass	Metaxyl	0.0004	0.2000	0.0014	Pass
Bifenazate	0.0004	0.2000	0.0060	Pass	Methiocarb	0.0004	0.2000	0.0030	Pass
Bifenthrin	0.0004	0.2000	ND	Pass	Methomyl	0.0004	0.4000	0.0034	Pass
Boscalid	0.0004	0.4000	0.0018	Pass	Methyl Parathion	0.0004	0.2000	ND	Pass
Carbaryl	0.0004	0.2000	0.0016	Pass	MGK-264	0.0004	0.2000	ND	Pass
Carbofuran	0.0004	0.2000	<LOQ	Pass	Myclobutanil	0.0004	0.2000	ND	Pass
Chlorantraniliprole	0.0004	0.2000	0.0021	Pass	Naled	0.0004	0.5000	ND	Pass
Chlorfenapyr	0.0004	1.0000	0.0033	Pass	Oxamyl	0.0004	1.0000	ND	Pass
Chlormequat chloride	0.0004	0.2000	0.0010	Pass	Paclobutrazol	0.0004	0.4000	ND	Pass
Chlorpyrifos	0.0004	0.2000	ND	Pass	Permethrins	0.0004	0.2000	0.0180	Pass
Clofentezine	0.0004	0.2000	ND	Pass	Phosmet	0.0004	0.2000	0.0008	Pass
Cyfluthrin	0.0004	1.0000	0.0013	Pass	Piperonyl Butoxide	0.0004	2.0000	0.0027	Pass
Cypermethrin	0.0004	1.0000	ND	Pass	Prallethrin	0.0004	0.2000	<LOQ	Pass
Daminozide	0.0004	1.0000	ND	Pass	Propiconazole	0.0004	0.4000	0.0177	Pass
Diazinon	0.0004	0.2000	0.0016	Pass	Propoxur	0.0004	0.2000	ND	Pass
Dichlorvos	0.0004	1.0000	0.0018	Pass	Pyrethrins	0.0004	1.0000	0.0049	Pass
Dimethoate	0.0004	0.2000	0.0021	Pass	Pyridaben	0.0004	0.2000	ND	Pass
Ethoprophos	0.0004	0.2000	ND	Pass	Spinosad	0.0004	0.2000	ND	Pass
Etofenprox	0.0004	0.4000	ND	Pass	Spiromesifen	0.0004	0.2000	0.0005	Pass
Etoazole	0.0004	0.2000	ND	Pass	Spirotetramat	0.0004	0.2000	0.0010	Pass
Fenoxycarb	0.0004	0.2000	0.0014	Pass	Spiroxamine	0.0004	0.4000	0.0017	Pass
Fenpyroximate	0.0004	0.4000	ND	Pass	Tebuconazole	0.0004	0.4000	ND	Pass
Fipronil	0.0004	0.4000	0.0110	Pass	Thiacloprid	0.0004	0.2000	ND	Pass
Flonicamid	0.0004	1.0000	ND	Pass	Thiamethoxam	0.0004	0.2000	ND	Pass
Fludioxonil	0.0004	0.4000	0.0026	Pass	Trifloxystrobin	0.0004	0.2000	ND	Pass

Instrument: LC-MS/MS



5151 State Road J
Fulton, MO
(573) 355-6455
<http://www.confidentcannabis.com>
Lic# TES000007

Samples are testing in the same conditions they are obtained, sampling plan available by request.

Simple decision = pass/fail.

Measurement of uncertainty could affect the result but Clearwater does not take it into consideration.

Results only relate to items sampled & tested.

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

