Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
http://FDLAnalytical.com
Lic# TES000012



# HeadChange - Bulk Mini Hash Hole 1.25g - Zandy Man

METRC Sample: 1A40C0300002906000217500; METRC Batch: 1A40C0300002906000171861

**Sample ID: 2610FDLA1641.9403**
Strain: Zandy Man
Matrix: Plant
Type: Enhanced/Infused Preroll
Sample Size: ; Batch:

Produced:
Collected: 10/15/2026
Received: 10/15/2026
Completed: 10/19/2026
Batch#: 1A40C0300002906000171861

Client
**Curador Labs LLC | MAN000047**
Lic. # MAN000047
7110 N Broadway Ave
Saint Louis, MO 63147



## Summary

| Test | Method | Date Tested | Result |
|---|---|---|---|
| Batch | | | Pass |
| Cannabinoids | STL-LAB-00023 | 10/16/2026 | Complete |
| Moisture | STL-LAB-00026 | 10/16/2026 | 6.3% - Pass |
| Water Activity | STL-LAB-00024 | 10/16/2026 | 0.50 aw - Pass |
| Terpenes | STL-LAB-00022 | 10/16/2026 | Complete |
| Residual Solvents | STL-LAB-00020 | 10/19/2026 | Pass |
| Microbials | STL-LAB-00025 | 10/17/2026 | Pass |
| Mycotoxins | STL-LAB-00015 | 10/19/2026 | Pass |
| Pesticides | STL-LAB-00015 | 10/19/2026 | Pass |
| Heavy Metals | STL-LAB-00021 | 10/16/2026 | Pass |
| Foreign Matter | STL-LAB-00027 | 10/16/2026 | Pass |

## Cannabinoids

Complete

| 31.45% | ND | 36.29% |
|---|---|---|
| Total Δ9-THC | Total CBD | Total Cannabinoids |

| Analyte | LOQ | LOD | Result | Result |
|---|---|---|---|---|
| | % | % | % | mg/serving |
| THCa | 0.20 | 0.20 | 28.85 | 360.63 |
| Δ9-THC | 0.20 | 0.20 | 6.15 | 76.88 |
| Δ8-THC | 0.20 | 0.20 | ND | ND |
| THCV | 0.20 | 0.20 | ND | ND |
| CBDa | 0.20 | 0.20 | ND | ND |
| CBD | 0.20 | 0.20 | ND | ND |
| CBDV | 0.20 | 0.20 | ND | ND |
| CBN | 0.20 | 0.20 | ND | ND |
| CBGa | 0.20 | 0.20 | 1.29 | 16.13 |
| CBG | 0.20 | 0.20 | ND | ND |
| CBC | 0.20 | 0.20 | ND | ND |
| **Total Δ9-THC** | | | **31.45** | **393.14** |
| **Total CBD** | | | **ND** | **ND** |
| **Total** | | | **36.29** | **453.63** |

Date Tested: 10/16/2026
1 Unit = 1 Serving, 1.250g; 1 servings per container; 393.1 mg THC per container
Total Δ9-THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD

| 6.3% | 0.50 aw | Pass |
|---|---|---|
| Pass | Pass | |
| | Limit: 0.65 aw | |
| Moisture Content | Water Activity | Foreign Matter |

Thomas Shifflett
Director of Quality
10/19/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Results pertain only to items tested. Sampling SOP STL-GEN-00015. Reference limits/Decision rule : MO DHSS 19CSR100-1.FDL does not incorporate measurement uncertainty into the conformity decision.Measurement uncertainty can be provided upon request.

Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
http://FDLAnalytical.com
Lic# TES000012



# HeadChange - Bulk Mini Hash Hole 1.25g - Zandy Man

METRC Sample: 1A40C0300002906000217500; METRC Batch: 1A40C0300002906000171861

**Sample ID: 2610FDLA1641.9403**
Strain: Zandy Man
Matrix: Plant
Type: Enhanced/Infused Preroll
Sample Size: ; Batch:

Produced:
Collected: 10/15/2026
Received: 10/15/2026
Completed: 10/19/2026
Batch#: 1A40C0300002906000171861

Client
**Curador Labs LLC | MAN000047**
Lic. # MAN000047
7110 N Broadway Ave
Saint Louis, MO 63147

## Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.25 | 0.25 | 0.5 | ND | Pass | Imazalil | 0.1 | 0.1 | 0.2 | ND | Pass |
| Acephate | 0.2 | 0.2 | 0.4 | ND | Pass | Imidacloprid | 0.2 | 0.2 | 0.4 | ND | Pass |
| Acequinocyl | 1 | 1 | 2 | ND | Pass | Kresoxim Methyl | 0.2 | 0.2 | 0.4 | ND | Pass |
| Acetamiprid | 0.1 | 0.1 | 0.2 | ND | Pass | Malathion | 0.1 | 0.1 | 0.2 | ND | Pass |
| Aldicarb | 0.2 | 0.2 | 0.4 | ND | Pass | Metalaxyl | 0.1 | 0.1 | 0.2 | ND | Pass |
| Azoxystrobin | 0.1 | 0.1 | 0.2 | ND | Pass | Methiocarb | 0.1 | 0.1 | 0.2 | ND | Pass |
| Bifenazate | 0.1 | 0.1 | 0.2 | ND | Pass | Methomyl | 0.2 | 0.2 | 0.4 | ND | Pass |
| Bifenthrin | 0.1 | 0.1 | 0.2 | ND | Pass | Methyl Parathion | 0.1 | 0.1 | 0.2 | ND | Pass |
| Boscalid | 0.2 | 0.2 | 0.4 | ND | Pass | MGK-264 | 0.1 | 0.1 | 0.2 | ND | Pass |
| Carbaryl | 0.1 | 0.1 | 0.2 | ND | Pass | Myclobutanil | 0.1 | 0.1 | 0.2 | ND | Pass |
| Carbofuran | 0.1 | 0.1 | 0.2 | ND | Pass | Naled | 0.25 | 0.25 | 0.5 | ND | Pass |
| Chlorantraniliprole | 0.1 | 0.1 | 0.2 | ND | Pass | Oxamyl | 0.5 | 0.5 | 1 | ND | Pass |
| Chlorfenapyr | 0.5 | 0.5 | 1 | ND | Pass | Paclobutrazol | 0.2 | 0.2 | 0.4 | ND | Pass |
| Chlormequat chloride | 0.1 | 0.1 | 0.2 | ND | Pass | Permethrins | 0.1 | 0.1 | 0.2 | ND | Pass |
| | | | | | | Phosmet | 0.1 | 0.1 | 0.2 | ND | Pass |
| Chlorpyrifos | 0.1 | 0.1 | 0.2 | ND | Pass | Piperonyl Butoxide | 1 | 1 | 2 | ND | Pass |
| Clofentezine | 0.1 | 0.1 | 0.2 | ND | Pass | | | | | | |
| Cyfluthrin | 0.5 | 0.5 | 1 | ND | Pass | Prallethrin | 0.1 | 0.1 | 0.2 | ND | Pass |
| Cypermethrin | 0.5 | 0.5 | 1 | ND | Pass | Propiconazole | 0.2 | 0.2 | 0.4 | ND | Pass |
| Daminozide | 0.5 | 0.5 | 1 | ND | Pass | Propoxur | 0.1 | 0.1 | 0.2 | ND | Pass |
| Diazinon | 0.1 | 0.1 | 0.2 | ND | Pass | Pyrethrins | 0.5 | 0.5 | 1 | ND | Pass |
| Dichlorvos | 0.5 | 0.5 | 1 | ND | Pass | Pyridaben | 0.1 | 0.1 | 0.2 | ND | Pass |
| Dimethoate | 0.1 | 0.1 | 0.2 | ND | Pass | Spinosad | 0.1 | 0.1 | 0.2 | ND | Pass |
| Ethoprophos | 0.1 | 0.1 | 0.2 | ND | Pass | Spiromesifen | 0.1 | 0.1 | 0.2 | ND | Pass |
| Etofenprox | 0.2 | 0.2 | 0.4 | ND | Pass | Spirotetramat | 0.1 | 0.1 | 0.2 | ND | Pass |
| Etoxazole | 0.1 | 0.1 | 0.2 | ND | Pass | Spiroxamine | 0.2 | 0.2 | 0.4 | ND | Pass |
| Fenoxycarb | 0.1 | 0.1 | 0.2 | ND | Pass | Tebuconazole | 0.2 | 0.2 | 0.4 | ND | Pass |
| Fenpyroximate | 0.2 | 0.2 | 0.4 | ND | Pass | Thiacloprid | 0.1 | 0.1 | 0.2 | ND | Pass |
| Fipronil | 0.2 | 0.2 | 0.4 | ND | Pass | Thiamethoxam | 0.1 | 0.1 | 0.2 | ND | Pass |
| Flonicamid | 0.5 | 0.5 | 1 | ND | Pass | Trifloxystrobin | 0.1 | 0.1 | 0.2 | ND | Pass |
| Fludioxonil | 0.2 | 0.2 | 0.4 | ND | Pass | Vitamin E Acetate | 2.5 | 2.5 | 5 | ND | Pass |
| Hexythiazox | 0.5 | 0.5 | 1 | ND | Pass | | | | | | |

Date Tested: 10/19/2026

Thomas Shifflett
Director of Quality
10/19/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Results pertain only to items tested. Sampling SOP STL-GEN-00015. Reference limits/Decision rule : MO DHSS 19CSR100-1.FDL does not incorporate measurement uncertainty into the conformity decision.Measurement uncertainty can be provided upon request.

Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
http://FDLAnalytical.com
Lic# TES000012



# HeadChange - Bulk Mini Hash Hole 1.25g - Zandy Man

METRC Sample: 1A40C0300002906000217500; METRC Batch: 1A40C0300002906000171861

**Sample ID: 2610FDLA1641.9403**
Strain: Zandy Man
Matrix: Plant
Type: Enhanced/Infused Preroll
Sample Size: ; Batch:

Produced:
Collected: 10/15/2026
Received: 10/15/2026
Completed: 10/19/2026
Batch#: 1A40C0300002906000171861

Client
**Curador Labs LLC | MAN000047**
Lic. # MAN000047
7110 N Broadway Ave
Saint Louis, MO 63147

## Microbials

Pass

| Analyte | Result | Status |
|---|---|---|
| Aspergillus | Not Detected | Pass |
| Shiga toxin-producing E. Coli | Not Detected | Pass |
| Salmonella | Not Detected | Pass |

Date Tested: 10/17/2026

## Mycotoxins

Pass

| Analyte | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|
| | µg/kg | µg/kg | µg/kg | µg/kg | |
| B1 | | 10 | | ND | Tested |
| B2 | | 10 | | ND | Tested |
| G1 | | 10 | | ND | Tested |
| G2 | | 10 | | ND | Tested |
| Total Aflatoxins | | 10 | | ND | Tested |
| Ochratoxin A | | 10 | | ND | Tested |

Date Tested: 10/19/2026

## Heavy Metals

Pass

| Analyte | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|
| | µg/g | µg/g | µg/g | µg/g | |
| Arsenic | 0.1 | 0.1 | 0.2 | ND | Pass |
| Cadmium | 0.1 | 0.1 | 0.2 | ND | Pass |
| Chromium | 0.1 | 0.1 | 0.6 | ND | Pass |
| Lead | 0.1 | 0.1 | 0.5 | ND | Pass |
| Mercury | 0.01 | 0.01 | 0.1 | ND | Pass |

Date Tested: 10/16/2026

Thomas Shifflett
Director of Quality
10/19/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Results pertain only to items tested. Sampling SOP STL-GEN-00015. Reference limits/Decision rule : MO DHSS 19CSR100-1.FDL does not incorporate measurement uncertainty into the conformity decision.Measurement uncertainty can be provided upon request.

Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
http://FDLAnalytical.com
Lic# TES000012



# HeadChange - Bulk Mini Hash Hole 1.25g - Zandy Man

METRC Sample: 1A40C0300002906000217500; METRC Batch: 1A40C0300002906000171861

**Sample ID: 2610FDLA1641.9403**
Strain: Zandy Man
Matrix: Plant
Type: Enhanced/Infused Preroll
Sample Size: ; Batch:

Produced:
Collected: 10/15/2026
Received: 10/15/2026
Completed: 10/19/2026
Batch#: 1A40C0300002906000171861

Client
**Curador Labs LLC | MAN000047**
Lic. # MAN000047
7110 N Broadway Ave
Saint Louis, MO 63147

## Residual Solvents

Pass

| Analyte | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|
| | µg/g | µg/g | µg/g | µg/g | |
| 1,2-Dichloro-Ethane | 1 | 1 | 2 | ND | Pass |
| Acetone | 93 | 93 | 750 | ND | Pass |
| Acetonitrile | 25 | 25 | 60 | ND | Pass |
| Benzene | 0.5 | 0.5 | 1 | ND | Pass |
| Butane | 5 | 5 | 800 | ND | Pass |
| Chloroform | 1 | 1 | 2 | ND | Pass |
| Ethanol | 25 | 25 | 1000 | ND | Pass |
| Ethyl-Acetate | 25 | 25 | 400 | ND | Pass |
| Ethyl-Ether | 1 | 1 | 500 | ND | Pass |
| Ethylene Oxide | 1 | 1 | 5 | ND | Pass |
| Heptane | 25 | 25 | 500 | ND | Pass |
| Hexanes | 5 | 5 | 50 | ND | Pass |
| Isopropanol | 25 | 25 | 500 | ND | Pass |
| Methanol | 93 | 93 | 250 | ND | Pass |
| Methylene-Chloride | 5 | 5 | 125 | ND | Pass |
| Pentane | 25 | 25 | 750 | ND | Pass |
| Propane | 25 | 25 | 2100 | ND | Pass |
| Toluene | 0.5 | 0.5 | 150 | ND | Pass |
| Trichloroethylene | 0.5 | 0.5 | 25 | ND | Pass |
| Xylenes | 10 | 10 | 150 | ND | Pass |

Date Tested: 10/19/2026

Thomas Shifflett
Director of Quality
10/19/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Results pertain only to items tested. Sampling SOP STL-GEN-00015. Reference limits/Decision rule : MO DHSS 19CSR100-1.FDL does not incorporate measurement uncertainty into the conformity decision.Measurement uncertainty can be provided upon request.

Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
http://FDLAnalytical.com
Lic# TES000012



# HeadChange - Bulk Mini Hash Hole 1.25g - Zandy Man

METRC Sample: 1A40C0300002906000217500; METRC Batch: 1A40C0300002906000171861

**Sample ID: 2610FDLA1641.9403**
Strain: Zandy Man
Matrix: Plant
Type: Enhanced/Infused Preroll
Sample Size: ; Batch:

Produced:
Collected: 10/15/2026
Received: 10/15/2026
Completed: 10/19/2026
Batch#: 1A40C0300002906000171861

Client
**Curador Labs LLC | MAN000047**
Lic. # MAN000047
7110 N Broadway Ave
Saint Louis, MO 63147

## Terpenes

| Analyte | LOD % | LOQ % | Result % | Result mg/g |
|---|---|---|---|---|
| β-Caryophyllene | 0.050 | 0.050 | 1.104 | 11.04 |
| Limonene | 0.050 | 0.050 | 0.733 | 7.33 |
| Linalool | 0.050 | 0.050 | 0.342 | 3.42 |
| α-Humulene | 0.050 | 0.050 | 0.291 | 2.91 |
| α-Bisabolol | 0.050 | 0.050 | 0.167 | 1.67 |
| β-Myrcene | 0.050 | 0.050 | 0.160 | 1.60 |
| Fenchol | 0.050 | 0.050 | 0.103 | 1.03 |
| α-Pinene | 0.050 | 0.050 | 0.074 | 0.74 |
| β-Pinene | 0.050 | 0.050 | 0.057 | 0.57 |
| 3-Carene | 0.050 | 0.050 | ND | ND |
| α-Cedrene | 0.050 | 0.050 | ND | ND |
| α-Myrcene | 0.050 | 0.050 | ND | ND |
| α-Phellandrene | 0.050 | 0.050 | ND | ND |
| α-Terpinene | 0.050 | 0.050 | ND | ND |
| Borneol | 0.050 | 0.050 | ND | ND |
| Camphene | 0.050 | 0.050 | ND | ND |
| Camphor | 0.050 | 0.050 | ND | ND |
| Caryophyllene Oxide | 0.050 | 0.050 | ND | ND |
| Cedrol | 0.050 | 0.050 | ND | ND |
| Eucalyptol | 0.050 | 0.050 | ND | ND |

| Analyte | LOD % | LOQ % | Result % | Result mg/g |
|---|---|---|---|---|
| Fenchone | 0.050 | 0.050 | ND | ND |
| γ-Terpinene | 0.050 | 0.050 | ND | ND |
| Geraniol | 0.050 | 0.050 | ND | ND |
| Geranyl Acetate | 0.050 | 0.050 | ND | ND |
| Guaiol | 0.050 | 0.050 | ND | ND |
| β-Humulene | 0.050 | 0.050 | ND | ND |
| Isoborneol | 0.050 | 0.050 | ND | ND |
| Isopulegol | 0.050 | 0.050 | ND | ND |
| Menthol | 0.050 | 0.050 | ND | ND |
| Nerol | 0.050 | 0.050 | ND | ND |
| Phytol | 0.050 | 0.050 | ND | ND |
| Pulegone | 0.050 | 0.050 | ND | ND |
| p-Cymene | 0.050 | 0.050 | ND | ND |
| Sabinene | 0.050 | 0.050 | ND | ND |
| Sabinene Hydrate | 0.050 | 0.050 | ND | ND |
| Terpinolene | 0.050 | 0.050 | ND | ND |
| Valencene | 0.050 | 0.050 | ND | ND |
| Nerolidol | 0.050 | 0.050 | 0.088 | 0.88 |
| Ocimene | 0.050 | 0.050 | ND | ND |
| Terpineol | 0.050 | 0.050 | 0.136 | 1.36 |
| **Total** | | | **3.254** | **32.54** |

## Primary Aromas

Cinnamon | Orange | Lavender | Hops | Chamomile

Date Tested: 10/16/2026

Thomas Shifflett
Director of Quality
10/19/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Results pertain only to items tested. Sampling SOP STL-GEN-00015. Reference limits/Decision rule : MO DHSS 19CSR100-1.FDL does not incorporate measurement uncertainty into the conformity decision.Measurement uncertainty can be provided upon request.