



Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
http://FDLAnalytical.com
Lic# TE5000012

QA Testing
Informational Use Only - Not For Regulatory Use

1 of 4

Bulk Cart Grade Live Rosin - Fresh Produce #32

METRC Sample: 1A40C0300002906000152881; METRC Batch: 1A40C0300002906000152880

Sample ID: 2509FDLA1228.5795

Produced:

Client

Strain: Fresh Produce #32

Collected: 09/17/2025

Curador Labs LLC | MAN000047

Matrix: Concentrates & Extracts

Received: 09/17/2025

Lic. # MAN000047

Type: Rosin

Completed: 09/23/2025

7110 N Broadway Ave

Sample Size: ; Batch:

Batch#:

Saint Louis, MO 63147



Summary

Test	Method	Date Tested	Result
Batch			Pass
Cannabinoids	STL-LAB-00023	09/18/2025	Complete
Mycotoxins	STL-LAB-00015	09/18/2025	Pass
Pesticides	STL-LAB-00015	09/18/2025	Pass
Heavy Metals	STL-LAB-00021	09/18/2025	Pass

Cannabinoids

Complete

77.61%	ND	83.14%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOQ	LOD	Result	Result	
	%	%	%	mg/serving	
THCa	0.20	0.20	6.37	6.37	
Δ9-THC	0.20	0.20	72.02	72.02	
Δ8-THC	0.20	0.20	ND	ND	
THCV	0.20	0.20	ND	ND	
CBDa	0.20	0.20	ND	ND	
CBD	0.20	0.20	ND	ND	
CBDV	0.20	0.20	ND	ND	
CBN	0.20	0.20	ND	ND	
CBGa	0.20	0.20	1.79	1.79	
CBG	0.20	0.20	2.35	2.35	
CBC	0.20	0.20	0.61	0.61	
Total THC			77.61	77.61	
Total CBD			ND	ND	
Total			83.14	83.14	

Date Tested: 09/18/2025

1 Unit = 1 Serving, 0.100g; 10 servings per container; 776.1 mg THC per container

Total THC = THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

NT Not Tested Moisture Content	NT Not Tested Limit: undefined av Water Activity	Not Tested Foreign Matter
--------------------------------------	---	------------------------------



Thomas Shifflett

Thomas Shifflett
Director of Quality
09/23/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Results pertain only to items tested. Sampling SOP STL-GEN-00015. Reference limits/Decision rule: MO DHSS 19CSR100-1.FDL does not incorporate measurement uncertainty into the conformity decision.Measurement uncertainty can be provided upon request.



Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
http://FDLAnalytical.com
Lic# TE5000012

Regulatory Compliance Testing
Informational Use Only - Not For Regulatory Use

2 of 4

Bulk Cart Grade Live Rosin - Fresh Produce #32

METRC Sample: 1A40C0300002906000152881; METRC Batch: 1A40C0300002906000152880

Sample ID: 2509FDLA1228.5795

Produced:

Client

Strain: Fresh Produce #32

Collected: 09/17/2025

Curador Labs LLC | MAN000047

Matrix: Concentrates & Extracts

Received: 09/17/2025

Lic. # MAN000047

Type: Rosin

Completed: 09/23/2025

7110 N Broadway Ave

Sample Size: ; Batch:

Batch#:

Saint Louis, MO 63147

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.25	0.25	0.5	ND	Pass	Imazalil	0.1	0.1	0.2	ND	Pass
Acephate	0.2	0.2	0.4	ND	Pass	Imidacloprid	0.2	0.2	0.4	ND	Pass
Acequinocyl	1	1	2	ND	Pass	Kresoxim Methyl	0.2	0.2	0.4	ND	Pass
Acetamiprid	0.1	0.1	0.2	ND	Pass	Malathion	0.1	0.1	0.2	ND	Pass
Aldicarb	0.2	0.2	0.4	ND	Pass	Metalaxyl	0.1	0.1	0.2	ND	Pass
Azoxystrobin	0.1	0.1	0.2	ND	Pass	Methiocarb	0.1	0.1	0.2	ND	Pass
Bifenazate	0.1	0.1	0.2	ND	Pass	Methomyl	0.2	0.2	0.4	ND	Pass
Bifenthrin	0.1	0.1	0.2	ND	Pass	Methyl Parathion	0.1	0.1	0.2	ND	Pass
Boscalid	0.2	0.2	0.4	ND	Pass	MGK-264	0.1	0.1	0.2	ND	Pass
Carbaryl	0.1	0.1	0.2	ND	Pass	Myclobutanil	0.1	0.1	0.2	ND	Pass
Carbofuran	0.1	0.1	0.2	ND	Pass	Naled	0.25	0.25	0.5	ND	Pass
Chlorantraniliprole	0.1	0.1	0.2	ND	Pass	Oxamyl	0.5	0.5	1	ND	Pass
Chlorfenapyr	0.5	0.5	1	ND	Pass	Paclobutrazol	0.2	0.2	0.4	ND	Pass
Chlormequat chloride	0.1	0.1	0.2	ND	Pass	Permethrins	0.1	0.1	0.2	ND	Pass
Chlorpyrifos	0.1	0.1	0.2	ND	Pass	Phosmet	0.1	0.1	0.2	ND	Pass
Clofentezine	0.1	0.1	0.2	ND	Pass	Piperonyl Butoxide	1	1	2	ND	Pass
Cyfluthrin	0.5	0.5	1	ND	Pass	Prallethrin	0.1	0.1	0.2	ND	Pass
Cypermethrin	0.5	0.5	1	ND	Pass	Propiconazole	0.2	0.2	0.4	ND	Pass
Daminozide	0.5	0.5	1	ND	Pass	Propoxur	0.1	0.1	0.2	ND	Pass
Diazinon	0.1	0.1	0.2	ND	Pass	Pyrethrins	0.5	0.5	1	ND	Pass
Dichlorvos	0.5	0.5	1	ND	Pass	Pyridaben	0.1	0.1	0.2	ND	Pass
Dimethoate	0.1	0.1	0.2	ND	Pass	Spinosad	0.1	0.1	0.2	ND	Pass
Ethoprophos	0.1	0.1	0.2	ND	Pass	Spiromesifen	0.1	0.1	0.2	ND	Pass
Etofenprox	0.2	0.2	0.4	ND	Pass	Spirotetramat	0.1	0.1	0.2	ND	Pass
Etoxazole	0.1	0.1	0.2	ND	Pass	Spiroxamine	0.2	0.2	0.4	ND	Pass
Fenoxycarb	0.1	0.1	0.2	ND	Pass	Tebuconazole	0.2	0.2	0.4	ND	Pass
Fenpyroximate	0.2	0.2	0.4	ND	Pass	Thiacloprid	0.1	0.1	0.2	ND	Pass
Fipronil	0.2	0.2	0.4	ND	Pass	Thiamethoxam	0.1	0.1	0.2	ND	Pass
Flonicamid	0.5	0.5	1	ND	Pass	Trifloxystrobin	0.1	0.1	0.2	ND	Pass
Fludioxonil	0.2	0.2	0.4	ND	Pass	Vitamin E	2.5	2.5	5	ND	Pass
Hexythiazox	0.5	0.5	1	ND	Pass	Acetate					

Date Tested: 09/18/2025



Thomas Shifflett

Thomas Shifflett
Director of Quality
09/23/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Results pertain only to items tested. Sampling SOP STL-GEN-00015. Reference limits/Decision rule: MO DHSS 19CSR100-1.FDL does not incorporate measurement uncertainty into the conformity decision.Measurement uncertainty can be provided upon request.



Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
<http://FDLAnalytical.com>
Lic# TE5000012

Regulatory Compliance Testing
Informational Use Only - Not For Regulatory Use

3 of 4

Bulk Cart Grade Live Rosin - Fresh Produce #32

METRC Sample: 1A40C0300002906000152881; METRC Batch: 1A40C0300002906000152880

Sample ID: 2509FDLA1228.5795

Produced:

Client

Strain: Fresh Produce #32

Collected: 09/17/2025

Curador Labs LLC | MAN000047

Matrix: Concentrates & Extracts

Received: 09/17/2025

Lic. # MAN000047

Type: Rosin

Completed: 09/23/2025

7110 N Broadway Ave

Sample Size: ; Batch:

Batch#:

Saint Louis, MO 63147

Microbials

Not Tested

Analyte	Result	Status
---------	--------	--------

Date Tested:

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1		10		ND	Tested
B2		10		ND	Tested
G1		10		<LOQ	Tested
G2		10		<LOQ	Tested
Total Aflatoxins		10		<LOQ	Tested
Ochratoxin A		10		ND	Tested

Date Tested: 09/18/2025

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.1	0.1	0.2	ND	Pass
Cadmium	0.1	0.1	0.2	ND	Pass
Chromium	0.1	0.1	0.6	ND	Pass
Lead	0.1	0.1	0.5	ND	Pass
Mercury	0.01	0.01	0.1	ND	Pass

Date Tested: 09/18/2025



Thomas Shifflett

Thomas Shifflett
Director of Quality
09/23/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Results pertain only to items tested. Sampling SOP STL-GEN-00015. Reference limits/Decision rule : MO DHSS 19CSR100-1.FDL does not incorporate measurement uncertainty into the conformity decision.Measurement uncertainty can be provided upon request.



Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
<http://FDLAnalytical.com>
Lic# TES000012

QA Testing
Informational Use Only - Not For Regulatory Use

4 of 4

Bulk Cart Grade Live Rosin - Fresh Produce #32

METRC Sample: 1A40C0300002906000152881; METRC Batch: 1A40C0300002906000152880

Sample ID: 2509FDLA1228.5795

Produced:

Client

Strain: Fresh Produce #32

Collected: 09/17/2025

Curador Labs LLC | MAN000047

Matrix: Concentrates & Extracts

Received: 09/17/2025

Lic. # MAN000047

Type: Rosin

Completed: 09/23/2025

7110 N Broadway Ave

Sample Size: ; Batch:

Batch#:

Saint Louis, MO 63147

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.1	0.1	0.2	ND	Pass
Cadmium	0.1	0.1	0.2	ND	Pass
Chromium	0.1	0.1	0.6	ND	Pass
Lead	0.1	0.1	0.5	ND	Pass
Mercury	0.01	0.01	0.1	ND	Pass

Date Tested: 09/18/2025



Thomas Shifflett
Director of Quality
09/23/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Results pertain only to items tested. Sampling SOP STL-GEN-00015. Reference limits/Decision rule : MO DHSS 19CSR100-1.FDL does not incorporate measurement uncertainty into the conformity decision.Measurement uncertainty can be provided upon request.