Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
http://FDLAnalytical.com
Lic# TES000012



# HeadChange - Bulk AIO Live Resin Vape .5g - Lemon Skunk

METRC Sample: 1A40C0300002906000217551; METRC Batch: 1A40C0300002906000171884

**Sample ID: 2610FDLA1717.9882**
Strain: Lemon Skunk
Matrix: Concentrates & Extracts
Type: Live Resin
Sample Size: ; Batch:

Produced:
Collected: 10/29/2026
Received: 10/29/2026
Completed: 11/04/2026
Batch#: 1A40C0300002906000171884

Client
**Curador Labs LLC | MAN000047**
Lic. # MAN000047
7110 N Broadway Ave
Saint Louis, MO 63147




## Summary

| Test | Method | Date Tested | Result |
|---|---|---|---|
| Batch | | | Pass |
| Cannabinoids | STL-LAB-00023 | 10/30/2026 | Complete |
| Terpenes | STL-LAB-00022 | 11/02/2026 | Complete |
| Residual Solvents | STL-LAB-00020 | 11/02/2026 | Pass |
| Microbials | STL-LAB-00025 | 11/02/2026 | Pass |
| Mycotoxins | STL-LAB-00015 | 11/02/2026 | Pass |
| Pesticides | STL-LAB-00015 | 11/02/2026 | Pass |
| Heavy Metals | STL-LAB-00021 | 11/02/2026 | Pass |
| Foreign Matter | STL-LAB-00027 | 11/02/2026 | Pass |

## Cannabinoids

Complete

| 78.36% | ND | 83.02% |
|---|---|---|
| Total Δ9-THC | Total CBD | Total Cannabinoids |

| Analyte | LOQ | LOD | Result | Result |
|---|---|---|---|---|
| | % | % | % | mg/serving |
| THCa | 0.20 | 0.20 | 7.13 | 0.36 |
| Δ9-THC | 0.20 | 0.20 | 72.11 | 3.61 |
| Δ8-THC | 0.20 | 0.20 | ND | ND |
| THCV | 0.20 | 0.20 | ND | ND |
| CBDa | 0.20 | 0.20 | ND | ND |
| CBD | 0.20 | 0.20 | ND | ND |
| CBDV | 0.20 | 0.20 | ND | ND |
| CBN | 0.20 | 0.20 | ND | ND |
| CBGa | 0.20 | 0.20 | 2.28 | 0.11 |
| CBG | 0.20 | 0.20 | 1.50 | 0.08 |
| CBC | 0.20 | 0.20 | ND | ND |
| **Total Δ9-THC** | | | **78.36** | **3.92** |
| **Total CBD** | | | **ND** | **ND** |
| **Total** | | | **83.02** | **4.15** |

Date Tested: 10/30/2026
1 Unit = 1 Serving, 0.005g; 100 servings per container; 391.8 mg THC per container
Total Δ9-THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD

| NT | NT | Pass |
|---|---|---|
| Not Tested | Not Tested | |
| | *Limit: undefined aw* | |
| Moisture Content | Water Activity | Foreign Matter |

Thomas Shifflett
Director of Quality
11/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Results pertain only to items tested. Sampling SOP STL-GEN-00015. Reference limits/Decision rule : MO DHSS 19CSR100-1.FDL does not incorporate measurement uncertainty into the conformity decision.Measurement uncertainty can be provided upon request.

Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
http://FDLAnalytical.com
Lic# TES000012



# HeadChange - Bulk AIO Live Resin Vape .5g - Lemon Skunk

METRC Sample: 1A40C0300002906000217551; METRC Batch: 1A40C0300002906000171884

**Sample ID: 2610FDLA1717.9882**
Strain: Lemon Skunk
Matrix: Concentrates & Extracts
Type: Live Resin
Sample Size: ; Batch:

Produced:
Collected: 10/29/2026
Received: 10/29/2026
Completed: 11/04/2026
Batch#: 1A40C0300002906000171884

Client
**Curador Labs LLC | MAN000047**
Lic. # MAN000047
7110 N Broadway Ave
Saint Louis, MO 63147

## Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|
| | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.25 | 0.25 | 0.5 | ND | Pass |
| Acephate | 0.2 | 0.2 | 0.4 | ND | Pass |
| Acequinocyl | 1 | 1 | 2 | ND | Pass |
| Acetamiprid | 0.1 | 0.1 | 0.2 | ND | Pass |
| Aldicarb | 0.2 | 0.2 | 0.4 | ND | Pass |
| Azoxystrobin | 0.1 | 0.1 | 0.2 | ND | Pass |
| Bifenazate | 0.1 | 0.1 | 0.2 | ND | Pass |
| Bifenthrin | 0.1 | 0.1 | 0.2 | ND | Pass |
| Boscalid | 0.2 | 0.2 | 0.4 | ND | Pass |
| Carbaryl | 0.1 | 0.1 | 0.2 | ND | Pass |
| Carbofuran | 0.1 | 0.1 | 0.2 | ND | Pass |
| Chlorantraniliprole | 0.1 | 0.1 | 0.2 | ND | Pass |
| Chlorfenapyr | 0.5 | 0.5 | 1 | ND | Pass |
| Chlormequat chloride | 0.1 | 0.1 | 0.2 | ND | Pass |
| Chlorpyrifos | 0.1 | 0.1 | 0.2 | ND | Pass |
| Clofentezine | 0.1 | 0.1 | 0.2 | ND | Pass |
| Cyfluthrin | 0.5 | 0.5 | 1 | ND | Pass |
| Cypermethrin | 0.5 | 0.5 | 1 | ND | Pass |
| Daminozide | 0.5 | 0.5 | 1 | ND | Pass |
| Diazinon | 0.1 | 0.1 | 0.2 | ND | Pass |
| Dichlorvos | 0.5 | 0.5 | 1 | ND | Pass |
| Dimethoate | 0.1 | 0.1 | 0.2 | ND | Pass |
| Ethoprophos | 0.1 | 0.1 | 0.2 | ND | Pass |
| Etofenprox | 0.2 | 0.2 | 0.4 | ND | Pass |
| Etoxazole | 0.1 | 0.1 | 0.2 | ND | Pass |
| Fenoxycarb | 0.1 | 0.1 | 0.2 | ND | Pass |
| Fenpyroximate | 0.2 | 0.2 | 0.4 | ND | Pass |
| Fipronil | 0.2 | 0.2 | 0.4 | ND | Pass |
| Flonicamid | 0.5 | 0.5 | 1 | ND | Pass |
| Fludioxonil | 0.2 | 0.2 | 0.4 | ND | Pass |
| Hexythiazox | 0.5 | 0.5 | 1 | ND | Pass |
| Imazalil | 0.1 | 0.1 | 0.2 | ND | Pass |
| Imidacloprid | 0.2 | 0.2 | 0.4 | ND | Pass |
| Kresoxim Methyl | 0.2 | 0.2 | 0.4 | ND | Pass |
| Malathion | 0.1 | 0.1 | 0.2 | ND | Pass |
| Metalaxyl | 0.1 | 0.1 | 0.2 | ND | Pass |
| Methiocarb | 0.1 | 0.1 | 0.2 | ND | Pass |
| Methomyl | 0.2 | 0.2 | 0.4 | ND | Pass |
| Methyl Parathion | 0.1 | 0.1 | 0.2 | ND | Pass |
| MGK-264 | 0.1 | 0.1 | 0.2 | ND | Pass |
| Myclobutanil | 0.1 | 0.1 | 0.2 | ND | Pass |
| Naled | 0.25 | 0.25 | 0.5 | ND | Pass |
| Oxamyl | 0.5 | 0.5 | 1 | ND | Pass |
| Paclobutrazol | 0.2 | 0.2 | 0.4 | ND | Pass |
| Permethrins | 0.1 | 0.1 | 0.2 | ND | Pass |
| Phosmet | 0.1 | 0.1 | 0.2 | ND | Pass |
| Piperonyl Butoxide | 1 | 1 | 2 | ND | Pass |
| Prallethrin | 0.1 | 0.1 | 0.2 | ND | Pass |
| Propiconazole | 0.2 | 0.2 | 0.4 | ND | Pass |
| Propoxur | 0.1 | 0.1 | 0.2 | ND | Pass |
| Pyrethrins | 0.5 | 0.5 | 1 | ND | Pass |
| Pyridaben | 0.1 | 0.1 | 0.2 | ND | Pass |
| Spinosad | 0.1 | 0.1 | 0.2 | ND | Pass |
| Spiromesifen | 0.1 | 0.1 | 0.2 | ND | Pass |
| Spirotetramat | 0.1 | 0.1 | 0.2 | ND | Pass |
| Spiroxamine | 0.2 | 0.2 | 0.4 | ND | Pass |
| Tebuconazole | 0.2 | 0.2 | 0.4 | ND | Pass |
| Thiacloprid | 0.1 | 0.1 | 0.2 | ND | Pass |
| Thiamethoxam | 0.1 | 0.1 | 0.2 | ND | Pass |
| Trifloxystrobin | 0.1 | 0.1 | 0.2 | ND | Pass |
| Vitamin E Acetate | 2.5 | 2.5 | 5 | ND | Pass |

Date Tested: 11/02/2026

Thomas Shifflett
Director of Quality
11/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Results pertain only to items tested. Sampling SOP STL-GEN-00015. Reference limits/Decision rule : MO DHSS 19CSR100-1.FDL does not incorporate measurement uncertainty into the conformity decision.Measurement uncertainty can be provided upon request.

Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
http://FDLAnalytical.com
Lic# TES000012



# HeadChange - Bulk AIO Live Resin Vape .5g - Lemon Skunk

METRC Sample: 1A40C0300002906000217551; METRC Batch: 1A40C0300002906000171884

**Sample ID: 2610FDLA1717.9882**
Strain: Lemon Skunk
Matrix: Concentrates & Extracts
Type: Live Resin
Sample Size: ; Batch:

Produced:
Collected: 10/29/2026
Received: 10/29/2026
Completed: 11/04/2026
Batch#: 1A40C0300002906000171884

Client
**Curador Labs LLC | MAN000047**
Lic. # MAN000047
7110 N Broadway Ave
Saint Louis, MO 63147

## Microbials

Pass

| Analyte | Result | Status |
|---|---|---|
| Aspergillus | Not Detected | Pass |
| Shiga toxin-producing E. Coli | Not Detected | Pass |
| Salmonella | Not Detected | Pass |

Date Tested: 11/02/2026

## Mycotoxins

Pass

| Analyte | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|
| | µg/kg | µg/kg | µg/kg | µg/kg | |
| B1 | | 10 | | ND | Tested |
| B2 | | 10 | | ND | Tested |
| G1 | | 10 | | ND | Tested |
| G2 | | 10 | | ND | Tested |
| Total Aflatoxins | | 10 | | ND | Tested |
| Ochratoxin A | | 10 | | ND | Tested |

Date Tested: 11/02/2026

## Heavy Metals

Pass

| Analyte | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|
| | µg/g | µg/g | µg/g | µg/g | |
| Arsenic | 0.1 | 0.1 | 0.2 | ND | Pass |
| Cadmium | 0.1 | 0.1 | 0.2 | ND | Pass |
| Chromium | 0.1 | 0.1 | 0.6 | ND | Pass |
| Lead | 0.1 | 0.1 | 0.5 | ND | Pass |
| Mercury | 0.01 | 0.01 | 0.1 | ND | Pass |

Date Tested: 11/02/2026

Thomas Shifflett
Director of Quality
11/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Results pertain only to items tested. Sampling SOP STL-GEN-00015. Reference limits/Decision rule : MO DHSS 19CSR100-1.FDL does not incorporate measurement uncertainty into the conformity decision.Measurement uncertainty can be provided upon request.

Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
http://FDLAnalytical.com
Lic# TES000012



# HeadChange - Bulk AIO Live Resin Vape .5g - Lemon Skunk

METRC Sample: 1A40C0300002906000217551; METRC Batch: 1A40C0300002906000171884

**Sample ID: 2610FDLA1717.9882**
Strain: Lemon Skunk
Matrix: Concentrates & Extracts
Type: Live Resin
Sample Size: ; Batch:

Produced:
Collected: 10/29/2026
Received: 10/29/2026
Completed: 11/04/2026
Batch#: 1A40C0300002906000171884

Client
**Curador Labs LLC | MAN000047**
Lic. # MAN000047
7110 N Broadway Ave
Saint Louis, MO 63147

## Residual Solvents

Pass

| Analyte | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|
| | µg/g | µg/g | µg/g | µg/g | |
| 1,2-Dichloro-Ethane | 1 | 1 | 2 | ND | Pass |
| Acetone | 93 | 93 | 750 | ND | Pass |
| Acetonitrile | 25 | 25 | 60 | ND | Pass |
| Benzene | 0.5 | 0.5 | 1 | ND | Pass |
| Butane | 5 | 5 | 800 | ND | Pass |
| Chloroform | 1 | 1 | 2 | ND | Pass |
| Ethanol | 25 | 25 | 1000 | ND | Pass |
| Ethyl-Acetate | 25 | 25 | 400 | ND | Pass |
| Ethyl-Ether | 1 | 1 | 500 | ND | Pass |
| Ethylene Oxide | 1 | 1 | 5 | ND | Pass |
| Heptane | 25 | 25 | 500 | ND | Pass |
| Hexanes | 5 | 5 | 50 | ND | Pass |
| Isopropanol | 25 | 25 | 500 | 40.1 | Pass |
| Methanol | 93 | 93 | 250 | ND | Pass |
| Methylene-Chloride | 5 | 5 | 125 | ND | Pass |
| Pentane | 25 | 25 | 750 | ND | Pass |
| Propane | 25 | 25 | 2100 | ND | Pass |
| Toluene | 0.5 | 0.5 | 150 | ND | Pass |
| Trichloroethylene | 0.5 | 0.5 | 25 | ND | Pass |
| Xylenes | 10 | 10 | 150 | ND | Pass |

Date Tested: 11/02/2026

Thomas Shifflett
Director of Quality
11/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Results pertain only to items tested. Sampling SOP STL-GEN-00015. Reference limits/Decision rule : MO DHSS 19CSR100-1.FDL does not incorporate measurement uncertainty into the conformity decision.Measurement uncertainty can be provided upon request.

Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
http://FDLAnalytical.com
Lic# TES000012



# HeadChange - Bulk AIO Live Resin Vape .5g - Lemon Skunk

METRC Sample: 1A40C0300002906000217551; METRC Batch: 1A40C0300002906000171884

**Sample ID: 2610FDLA1717.9882**
Strain: Lemon Skunk
Matrix: Concentrates & Extracts
Type: Live Resin
Sample Size: ; Batch:

Produced:
Collected: 10/29/2026
Received: 10/29/2026
Completed: 11/04/2026
Batch#: 1A40C0300002906000171884

Client
**Curador Labs LLC | MAN000047**
Lic. # MAN000047
7110 N Broadway Ave
Saint Louis, MO 63147

## Terpenes

| Analyte | LOD % | LOQ % | Result % | Result mg/g |
|---|---|---|---|---|
| Limonene | 0.050 | 0.050 | 2.746 | 27.46 |
| β-Caryophyllene | 0.050 | 0.050 | 1.822 | 18.22 |
| α-Pinene | 0.050 | 0.050 | 0.458 | 4.58 |
| α-Humulene | 0.050 | 0.050 | 0.374 | 3.74 |
| Fenchol | 0.050 | 0.050 | 0.361 | 3.61 |
| β-Myrcene | 0.050 | 0.050 | 0.359 | 3.59 |
| Linalool | 0.050 | 0.050 | 0.350 | 3.50 |
| Guaiol | 0.050 | 0.050 | 0.265 | 2.65 |
| β-Pinene | 0.050 | 0.050 | 0.251 | 2.51 |
| α-Bisabolol | 0.050 | 0.050 | 0.137 | 1.37 |
| Camphene | 0.050 | 0.050 | 0.064 | 0.64 |
| 3-Carene | 0.050 | 0.050 | ND | ND |
| α-Cedrene | 0.050 | 0.050 | ND | ND |
| α-Myrcene | 0.050 | 0.050 | ND | ND |
| α-Phellandrene | 0.050 | 0.050 | ND | ND |
| α-Terpinene | 0.050 | 0.050 | ND | ND |
| Borneol | 0.050 | 0.050 | ND | ND |
| Camphor | 0.050 | 0.050 | ND | ND |
| Caryophyllene Oxide | 0.050 | 0.050 | ND | ND |
| Cedrol | 0.050 | 0.050 | ND | ND |

| Analyte | LOD % | LOQ % | Result % | Result mg/g |
|---|---|---|---|---|
| Eucalyptol | 0.050 | 0.050 | ND | ND |
| Fenchone | 0.050 | 0.050 | ND | ND |
| γ-Terpinene | 0.050 | 0.050 | ND | ND |
| Geraniol | 0.050 | 0.050 | ND | ND |
| Geranyl Acetate | 0.050 | 0.050 | ND | ND |
| β-Humulene | 0.050 | 0.050 | ND | ND |
| Isoborneol | 0.050 | 0.050 | ND | ND |
| Isopulegol | 0.050 | 0.050 | ND | ND |
| Menthol | 0.050 | 0.050 | ND | ND |
| Nerol | 0.050 | 0.050 | ND | ND |
| Phytol | 0.050 | 0.050 | ND | ND |
| Pulegone | 0.050 | 0.050 | ND | ND |
| p-Cymene | 0.050 | 0.050 | ND | ND |
| Sabinene | 0.050 | 0.050 | ND | ND |
| Sabinene Hydrate | 0.050 | 0.050 | ND | ND |
| Terpinolene | 0.050 | 0.050 | ND | ND |
| Valencene | 0.050 | 0.050 | ND | ND |
| Nerolidol | 0.050 | 0.050 | 0.128 | 1.28 |
| Ocimene | 0.050 | 0.050 | 2.419 | 24.19 |
| Terpineol | 0.050 | 0.050 | 0.381 | 3.81 |
| **Total** | | | **10.114** | **101.14** |

## Primary Aromas

Orange | Earthy | Cinnamon | Pine | Hops

Date Tested: 11/02/2026

Thomas Shifflett
Director of Quality
11/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Results pertain only to items tested. Sampling SOP STL-GEN-00015. Reference limits/Decision rule : MO DHSS 19CSR100-1.FDL does not incorporate measurement uncertainty into the conformity decision.Measurement uncertainty can be provided upon request.