

Certificate of Analysis



Curador Labs LLC | MAN000047

7110 N Broadway Ave
Saint Louis, MO 63147
testing@curadorbrands.com

Lic. #MAN000047

Sample: 2301GCA0035.0253

Strain: Trop Cream Paint Job
Sampling Date & Received: 01/23/2023
Report Created: 01/27/2023
Lab ID: 23-0241
Sampling Size: 16 units; Process Procedure: TM-124

Live Resin Sauce Cart - Trop Cream Paint Job

Concentrates & Extracts, Live Resin, Butane
Harvest Process Lot: ; METRC Batch: 1A40C0100002906000032436; METRC Sample: 1A40C0100002906000032718



Safety

Pass Pesticides	Pass Microbials	Pass Mycotoxins	Not Tested NT Water Activity
Pass Solvents	Pass Metals	Pass Foreign Matter	Not Tested NT Moisture

Cannabinoids

Equipment Used: HPLC
SOP #: TM-120
Date Tested: 01/24/2023

75.34% Total THC	ND Total CBD	77.07% Total Cannabinoids
----------------------------	------------------------	-------------------------------------

Analyte	CAS #	LOQ	Mass	Mass
		%	%	mg/g
THCa	23978-85-0	0.81	ND	ND
Δ9-THC	1972-08-3	0.81	75.34	753.4
Δ8-THC	5957-75-5	0.81	ND	ND
THCV	31262-37-0	0.81	ND	ND
CBDa	1244-58-2	0.81	ND	ND
CBD	013956-29-1	0.81	ND	ND
CBDV	24274-48-4	0.81	ND	ND
CBN	521-35-7	0.81	ND	ND
CBGa	25555-57-1	0.81	ND	ND
CBG	25654-31-3	0.81	1.73	17.3
CBC	20675-51-8	0.81	<LOQ	<LOQ
Total			77.07	770.7

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD

Terpenes

Equipment Used:
SOP #:
Date Tested:

Analyte	CAS #	LOQ	Mass	Mass
---------	-------	-----	------	------

Notes:



GCA Labs, All Rights Reserved
1185 Scenic Dr, SUITE 135
Herculaneum, MO
(636) 224-2882
www.gcalabs.com

Approved By:
Joseph A. Crifasi M.A., M.T. (ASCP)
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



GCA Labs is an ISO/IEC 17025:2017 accredited laboratory A2LA (Certificate # 5611.01) and operates in compliance with all applicable Missouri state laws (17 CSR 307.9). GCA Labs may use a Non-Binary Decision Rule to account for uncertainty of measurement within the results and what is reported as Pass/Fail. This analysis indicates that a statistically representative, random sampling of the product has been analyzed, and the results refer to the analysis at the time of sample collection only and only the presences of the tested compounds. GCA Labs makes no claims as to efficacy, safety, shelf-life, or other risks associated with detected or non-detected compounds within this report. All client communications and testing results are considered confidential; this report should not be reproduced without prior written approval.

Certificate of Analysis



Curador Labs LLC | MAN000047

7110 N Broadway Ave
Saint Louis, MO 63147
testing@curadorbrands.com

Lic. #MAN000047

Sample: 2301GCA0035.0253

Strain: Trop Cream Paint Job
Sampling Date & Received: 01/23/2023
Report Created: 01/27/2023
Lab ID: 23-0241
Sampling Size: 16 units; Process Procedure: TM-124

Live Resin Sauce Cart - Trop Cream Paint Job

Concentrates & Extracts, Live Resin, Butane
Harvest Process Lot: ; METRC Batch: 1A40C0100002906000032436; METRC Sample: 1A40C0100002906000032718



Mycotoxins

Equipment Used: LCMS
SOP #: TM-119
Date Tested: 01/27/2023

Pass

Analyte	CAS #	LOQ	Limit	Mass	Status
		PPB	PPB	PPB	
B1		1.00	20.00	ND	Pass
B2		1.00	20.00	ND	Pass
G1		1.00	20.00	ND	Pass
G2		1.00	20.00	ND	Pass
Ochratoxin A	303-47-9	1.00	20.00	ND	Pass
Total Aflatoxins		1.00	20.00	ND	Pass

Microbials

Equipment Used: GCA-008
SOP #: TM-116
Date Tested: 01/27/2023

Pass

Analyte	Results	Status
Aspergillus spp.	ND	Pass
E. Coli	ND	Pass
Salmonella	ND	Pass
Yeast & Mold	ND	Pass

Includes Aspergillus flavus, Aspergillus fumigatus, Aspergillus niger, Aspergillus terreus.
GCA does not test for total Yeast and Mold.

Heavy Metals

Equipment Used: ICPMS
SOP #: TM-115
Date Tested: 01/26/2023

Pass

Analyte	CAS #	LOQ	Limit	Mass	Status
		PPM	PPM	PPM	
Arsenic	7440-38-2	0.05	0.20	ND	Pass
Cadmium	7440-43-9	0.05	0.20	ND	Pass
Chromium	7439-97-6	0.05	0.60	0.13	Pass
Lead	7439-92-1	0.05	0.50	<LOQ	Pass
Mercury	7440-47-3	0.05	0.10	ND	Pass

Residual Solvents

Equipment Used: Headspace GCMS
SOP #: TM-121
Date Tested: 01/25/2023

Pass

Analyte	CAS #	LOQ	Limit	Mass	Status
		PPM	PPM	PPM	
1,2-Dichloro-Ethane	0107-06-02	7	2	ND	Pass
Acetone	67-64-1	7	750	ND	Pass
Acetonitrile	75-05-8	7	60	ND	Pass
Benzene	71-43-2	7	1	ND	Pass
Butane	106-97-8	7	800	86	Pass
Chloroform	67-66-3	7	2	ND	Pass
Ethanol	64-17-5	7	1000	202	Pass
Ethyl-Acetate	141-78-6	7	400	57	Pass
Ethyl-Ether	60-29-7	7	500	ND	Pass
Ethylene Oxide	75-21-8	7	5	ND	Pass
Heptane	142-82-5	7	500	ND	Pass
Hexanes	110-54-3	7	50	ND	Pass
Isopropanol	67-63-0	7	500	72	Pass
Methanol	67-56-1	7	250	ND	Pass
Methylene-Chloride	75-09-2	7	125	ND	Pass
Pentane	109-66-0	7	750	ND	Pass
Propane	74-98-6	7	2100	ND	Pass
Toluene	108-88-3	7	150	ND	Pass
Trichloroethylene	79-01-6	7	25	ND	Pass
Xylenes	1330-20-7	14	150	ND	Pass



GCA Labs, All Rights Reserved
1185 Scenic Dr, SUITE 135
Herculaneum, MO
(636) 224-2882
www.gcalabs.com

Approved By:
Joseph A. Crifasi M.A., M.T. (ASCP)
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



GCA Labs is an ISO/IEC 17025:2017 accredited laboratory A2LA (Certificate # 5611.01) and operates in compliance with all applicable Missouri State laws (17 CSR 60.09). GCA Labs may use a Non-Binary Decision Rule to account for uncertainty of measurement within the results and what is reported as Pass/Fail. This analysis indicates that a statistically representative, random sampling of the product has been analyzed, and the results refer to the analysis at the time of sample collection only and only the presences of the tested compounds. GCA Labs makes no claims as to efficacy, safety, shelf-life, or other risks associated with detected or non-detected compounds within this report. All client communications and testing results are considered confidential; this report should not be reproduced without prior written approval.

Certificate of Analysis



Curador Labs LLC | MAN000047

7110 N Broadway Ave
Saint Louis, MO 63147
testing@curadorbrands.com

Lic. #MAN000047

Sample: 2301GCA0035.0253

Strain: Trop Cream Paint Job
Sampling Date & Received: 01/23/2023
Report Created: 01/27/2023
Lab ID: 23-0241
Sampling Size: 16 units; Process Procedure: TM-124

Live Resin Sauce Cart - Trop Cream Paint Job

Concentrates & Extracts, Live Resin, Butane
Harvest Process Lot: ; METRC Batch: 1A40C0100002906000032436; METRC Sample: 1A40C0100002906000032718



Pesticides

Equipment Used: GCMS, LCMS
SOP #: TM-119
Date Tested: 01/27/2023

Pass

Analyte	CAS #	LOQ	Limit	Mass	Status
		PPM	PPM	PPM	
Abamectin	71751-41-2	0.070	0.500	ND	Pass
Acephate	30560-19-1	0.020	0.400	ND	Pass
Acequinocyl	57960-19-7	0.040	2.000	ND	Pass
Acetamiprid	135410-20-7	0.020	0.200	ND	Pass
Aldicarb	116-06-3	0.040	0.400	ND	Pass
Azoxystrobin	131860-33-8	0.030	0.200	ND	Pass
Bifenazate	149877-41-8	0.030	0.200	ND	Pass
Bifenthrin	82657-04-3	0.020	0.200	ND	Pass
Boscalid	188425-85-6	0.050	0.400	ND	Pass
Carbaryl	63-25-2	0.040	0.200	ND	Pass
Carbofuran	1563-66-2	0.040	0.200	ND	Pass
Chlorantraniliprole	500008-45-7	0.030	0.200	ND	Pass
Chlorfenapyr	122453-73-0	0.040	1.000	ND	Pass
Chloromequat chloride	7003-89-6	0.020	0.200	ND	Pass
Chlorpyrifos	2921-88-2	0.030	0.200	ND	Pass
Clofentezine	74115-24-5	0.050	0.200	ND	Pass
Cyfluthrin	68359-37-5	0.120	1.000	ND	Pass
Cypermethrin	52315-07-8	0.040	1.000	ND	Pass
Daminozide	1596-84-5	0.060	1.000	ND	Pass
Diazinon	333-41-5	0.030	0.200	ND	Pass
Dichlorvos	62-73-7	0.030	1.000	ND	Pass
Dimethoate	60-51-5	0.020	0.200	ND	Pass
Ethoprophos	13194-48-4	0.030	0.200	ND	Pass
Etofenprox	80844-07-1	0.020	0.400	ND	Pass
Etoxazole	153233-91-1	0.020	0.200	ND	Pass
Fenoxycarb	72490-01-8	0.020	0.200	ND	Pass
Fenpyroximate	134098-61-6	0.030	0.400	ND	Pass
Fipronil	120068-37-3	0.030	0.400	ND	Pass
Flonicamid	158062-67-0	0.020	1.000	ND	Pass
Fludioxonil	131341-86-1	0.030	0.400	ND	Pass
Hexythiazox	78587-05-0	0.030	1.000	ND	Pass
Imazalil	35554-44-0	0.070	0.200	ND	Pass
Imidacloprid	138261-41-3	0.040	0.400	ND	Pass
Kresoxim Methyl	143390-89-0	0.030	0.400	ND	Pass
Malathion	121-75-5	0.020	0.200	ND	Pass

Note: Permethrins cumulative residue of cis- and trans-permethrin isomers; Pyrethrins cumulative residues of pyrethrin 1, cinerin 1 and jasmolin 1.
Jasmolin 1 Cas #4466-14-2; Cinerin 1 Cas #25402-06-6; Pyrethrin 1 Cas #121-21-1



GCA Labs, All Rights Reserved
1185 Scenic Dr, SUITE 135
Herculaneum, MO
(636) 224-2882
www.gcalabs.com

Approved By:
Joseph A. Crifasi M.A., M.T. (ASCP)
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



GCA Labs is an ISO/IEC 17025:2017 accredited laboratory A2LA (Certificate # 5611.01) and operates in compliance with all applicable Missouri state laws (17 CSR 300.010). GCA Labs may use a Non-Binary Decision Rule to account for uncertainty of measurement within the results and what is reported as Pass/Fail. This analysis indicates that a statistically representative, random sampling of the product has been analyzed, and the results refer to the analysis at the time of sample collection only and only the presences of the tested compounds. GCA Labs makes no claims as to efficacy, safety, shelf-life, or other risks associated with detected or non-detected compounds within this report. All client communications and testing results are considered confidential; this report should not be reproduced without prior written approval.

Certificate of Analysis



Curador Labs LLC | MAN000047

7110 N Broadway Ave
Saint Louis, MO 63147
testing@curadorbrands.com

Lic. #MAN000047

Sample: 2301GCA0035.0253

Strain: Trop Cream Paint Job
Sampling Date & Received: 01/23/2023
Report Created: 01/27/2023
Lab ID: 23-0241
Sampling Size: 16 units; Process Procedure: TM-124

Live Resin Sauce Cart - Trop Cream Paint Job

Concentrates & Extracts, Live Resin, Butane
Harvest Process Lot: ; METRC Batch: 1A40C0100002906000032436; METRC Sample: 1A40C0100002906000032718



Pesticides

Equipment Used: GCMS, LCMS
SOP #: TM-119
Date Tested: 01/27/2023

Pass

Analyte	CAS #	LOQ PPM	Limit PPM	Mass PPM	Status
Metalaxyl	57837-19-1	0.030	0.200	ND	Pass
Methiocarb	2032-65-7	0.020	0.200	ND	Pass
Methomyl	16752-77-5	0.030	0.400	ND	Pass
Methyl Parathion	298-00-0	0.020	0.200	ND	Pass
MGK-264	113-48-4	0.020	0.200	ND	Pass
Myclobutanil	88671-89-0	0.030	0.200	ND	Pass
Naled	300-76-5	0.040	0.500	ND	Pass
Oxamyl	23135-22-0	0.020	1.000	ND	Pass
Paclobutrazol	76738-62-0	0.020	0.400	ND	Pass
Permethrins	52645-53-1	0.020	0.200	ND	Pass
Phosmet	732-11-6	0.020	0.200	ND	Pass
Piperonyl Butoxide	51-03-6	0.030	2.000	ND	Pass
Prallethrin	23031-36-9	0.030	0.200	ND	Pass
Propiconazole	60207-90-1	0.040	0.400	ND	Pass
Propoxur	114-26-1	0.030	0.200	ND	Pass
Pyrethrins	8003-34-7	0.010	1.000	ND	Pass
Pyridaben	96489-71-3	0.030	0.200	ND	Pass
Spinosad	168316-95-8	0.010	0.200	ND	Pass
Spiromesifen	283594-90-1	0.030	0.400	ND	Pass
Spirotetramat	203313-25-1	0.020	0.200	ND	Pass
Spiroxamine	118134-30-8	0.030	0.400	ND	Pass
Tebuconazole	80443-41-0	0.030	0.200	ND	Pass
Thiacloprid	111988-49-9	0.020	0.200	ND	Pass
Thiamethoxam	153719-23-4	0.030	0.200	ND	Pass
Trifloxystrobin	141517-21-7	0.030	0.200	ND	Pass

Note: Permethrins cumulative residue of cis- and trans-permethrin isomers; Pyrethrins cumulative residues of pyrethrin 1, cinerin 1 and jasmolin 1.
Jasmolin 1 Cas #4466-14-2; Cinerin 1 Cas #25402-06-6; Pyrethrin 1 Cas #121-21-1



GCA Labs, All Rights Reserved
1185 Scenic Dr, SUITE 135
Herculaneum, MO
(636) 224-2882
www.gcalabs.com

Approved By:
Joseph A. Crifasi M.A., M.T. (ASCP)
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



GCA Labs is an ISO/IEC 17025:2017 accredited laboratory A2LA (Certificate # 5611.01) and operates in compliance with all applicable Missouri state laws (17 CSR 30-75). GCA Labs may use a Non-Binary Decision Rule to account for uncertainty of measurement within the results and what is reported as Pass/Fail. This analysis indicates that a statistically representative, random sampling of the product has been analyzed, and the results refer to the analysis at the time of sample collection only and only the presences of the tested compounds. GCA Labs makes no claims as to efficacy, safety, shelf-life, or other risks associated with detected or non-detected compounds within this report. All client communications and testing results are considered confidential; this report should not be reproduced without prior written approval.

Certificate of Analysis



Curador Labs LLC | MAN000047

7110 N Broadway Ave
Saint Louis, MO 63147
testing@curadorbrands.com

Lic. #MAN000047

Sample: 2301GCA0035.0253

Strain: Trop Cream Paint Job
Sampling Date & Received: 01/23/2023
Report Created: 01/27/2023
Lab ID: 23-0241
Sampling Size: 16 units; Process Procedure: TM-124

Live Resin Sauce Cart - Trop Cream Paint Job

Concentrates & Extracts, Live Resin, Butane

Harvest Process Lot: ; METRC Batch: 1A40C0100002906000032436; METRC Sample: 1A40C0100002906000032718



GCA Labs, All Rights Reserved
1185 Scenic Dr, SUITE 135
Herculaneum, MO
(636) 224-2882
www.gcalabs.com

Approved By:
Joseph A. Crifasi M.A., M.T. (ASCP)
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



GCA Labs is an ISO/IEC 17025:2017 accredited laboratory A2LA (Certificate # 5611.01) and operates in compliance with all applicable Missouri state laws (17 CSR 50-75). GCA Labs may use a Non-Binary Decision Rule to account for uncertainty of measurement within the results and what is reported as Pass/Fail. This analysis indicates that a statistically representative, random sampling of the product has been analyzed, and the results refer to the analysis at the time of sample collection only and only the presences of the tested compounds. GCA Labs makes no claims as to efficacy, safety, shelf-life, or other risks associated with detected or non-detected compounds within this report. All client communications and testing results are considered confidential; this report should not be reproduced without prior written approval.