



SafeBet - Bulk Infused Rolls .5g Each - Draw 4

METRC Sample: 1A40C0300002906000142951; METRC Batch: 1A40C0300002906000142950

Sample ID: 2506FDLA0745.3671

Produced:

Client

Strain: Draw 4

Collected: 06/04/2025

Curador Labs LLC | MAN000047

Matrix: Plant

Received: 06/04/2025

Lic. # MAN000047

Type: Enhanced/Infused Flowers

Completed: 06/06/2025

7110 N Broadway Ave

Sample Size: ; Batch: 11,050 units

Batch#:

Saint Louis, MO 63147



Summary

Test	Method	Date Tested	Result
Batch			Pass
Cannabinoids	STL-LAB-00023	06/05/2025	Complete
Moisture	STL-LAB-00026	06/05/2025	11.2% - Pass
Water Activity	STL-LAB-00024	06/05/2025	0.54 aw - Pass
Terpenes	STL-LAB-00022	06/05/2025	Complete
Residual Solvents	STL-LAB-00020	06/05/2025	Pass
Microbials	STL-LAB-00025	06/06/2025	Pass
Mycotoxins	STL-LAB-00015	06/05/2025	Pass
Pesticides	STL-LAB-00015	06/05/2025	Pass
Heavy Metals	STL-LAB-00021	06/05/2025	Pass
Foreign Matter	STL-LAB-00027	06/06/2025	Pass

Cannabinoids

Complete

32.20%	ND	37.40%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOQ	LOD	Result	Result	
	%	%	%	mg/serving	
THCa	0.20	0.20	34.39	171.95	
Δ9-THC	0.20	0.20	2.04	10.20	
Δ8-THC	0.20	0.20	ND	ND	
THCV	0.20	0.20	ND	ND	
CBDa	0.20	0.20	ND	ND	
CBD	0.20	0.20	ND	ND	
CBDV	0.20	0.20	ND	ND	
CBN	0.20	0.20	ND	ND	
CBGa	0.20	0.20	0.97	4.85	
CBG	0.20	0.20	ND	ND	
CBC	0.20	0.20	ND	ND	
Total THC			32.20	161.00	
Total CBD			ND	ND	
Total			37.40	187.00	

Date Tested: 06/05/2025

1 Unit = 1 Serving, 0.50g; 1 servings per container; 161.0 mg THC per container

Total THC = THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

11.2% Pass	0.54 aw Pass Limit: 0.65 aw	Pass
Moisture Content	Water Activity	Foreign Matter



Thomas Shifflett

Thomas Shifflett
Director of Quality
06/06/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





SafeBet - Bulk Infused Rolls .5g Each - Draw 4

METRC Sample: 1A40C0300002906000142951; METRC Batch: 1A40C0300002906000142950

Sample ID: 2506FDLA0745.3671

Produced:

Client

Strain: Draw 4

Collected: 06/04/2025

Curador Labs LLC | MAN000047

Matrix: Plant

Received: 06/04/2025

Lic. # MAN000047

Type: Enhanced/Infused Flowers

Completed: 06/06/2025

7110 N Broadway Ave

Sample Size: ; Batch: 11,050 units

Batch#:

Saint Louis, MO 63147

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.25	0.25	0.5	ND	Pass	Imazalil	0.1	0.1	0.2	ND	Pass
Acephate	0.2	0.2	0.4	ND	Pass	Imidacloprid	0.2	0.2	0.4	ND	Pass
Acequinocyl	1	1	2	ND	Pass	Kresoxim Methyl	0.2	0.2	0.4	ND	Pass
Acetamiprid	0.1	0.1	0.2	ND	Pass	Malathion	0.1	0.1	0.2	ND	Pass
Aldicarb	0.2	0.2	0.4	ND	Pass	Metalaxyl	0.1	0.1	0.2	ND	Pass
Azoxystrobin	0.1	0.1	0.2	ND	Pass	Methiocarb	0.1	0.1	0.2	ND	Pass
Bifenazate	0.1	0.1	0.2	ND	Pass	Methomyl	0.2	0.2	0.4	ND	Pass
Bifenthrin	0.1	0.1	0.2	ND	Pass	Methyl Parathion	0.1	0.1	0.2	ND	Pass
Boscalid	0.2	0.2	0.4	ND	Pass	MGK-264	0.1	0.1	0.2	ND	Pass
Carbaryl	0.1	0.1	0.2	ND	Pass	Myclobutanil	0.1	0.1	0.2	ND	Pass
Carbofuran	0.1	0.1	0.2	ND	Pass	Naled	0.25	0.25	0.5	ND	Pass
Chlorantraniliprole	0.1	0.1	0.2	ND	Pass	Oxamyl	0.5	0.5	1	ND	Pass
Chlorfenapyr	0.5	0.5	1	ND	Pass	Paclobutrazol	0.2	0.2	0.4	ND	Pass
Chlormequat chloride	0.1	0.1	0.2	ND	Pass	Permethrins	0.1	0.1	0.2	ND	Pass
Chlorpyrifos	0.1	0.1	0.2	ND	Pass	Phosmet	0.1	0.1	0.2	ND	Pass
Clofentezine	0.1	0.1	0.2	ND	Pass	Piperonyl Butoxide	1	1	2	ND	Pass
Cyfluthrin	0.5	0.5	1	ND	Pass	Prallethrin	0.1	0.1	0.2	ND	Pass
Cypermethrin	0.5	0.5	1	ND	Pass	Propiconazole	0.2	0.2	0.4	ND	Pass
Daminozide	0.5	0.5	1	ND	Pass	Propoxur	0.1	0.1	0.2	ND	Pass
Diazinon	0.1	0.1	0.2	ND	Pass	Pyrethrins	0.5	0.5	1	ND	Pass
Dichlorvos	0.5	0.5	1	ND	Pass	Pyridaben	0.1	0.1	0.2	ND	Pass
Dimethoate	0.1	0.1	0.2	ND	Pass	Spinosad	0.1	0.1	0.2	ND	Pass
Ethoprophos	0.1	0.1	0.2	ND	Pass	Spiromesifen	0.1	0.1	0.2	ND	Pass
Etofenprox	0.2	0.2	0.4	ND	Pass	Spirotetramat	0.1	0.1	0.2	ND	Pass
Etoxazole	0.1	0.1	0.2	ND	Pass	Spiroxamine	0.2	0.2	0.4	ND	Pass
Fenoxycarb	0.1	0.1	0.2	ND	Pass	Tebuconazole	0.2	0.2	0.4	ND	Pass
Fenpyroximate	0.2	0.2	0.4	ND	Pass	Thiacloprid	0.1	0.1	0.2	ND	Pass
Fipronil	0.2	0.2	0.4	ND	Pass	Thiamethoxam	0.1	0.1	0.2	ND	Pass
Flonicamid	0.5	0.5	1	ND	Pass	Trifloxystrobin	0.1	0.1	0.2	ND	Pass
Fludioxonil	0.2	0.2	0.4	ND	Pass	Vitamin E	2.5	2.5	5	ND	Pass
Hexythiazox	0.5	0.5	1	ND	Pass	Acetate					

Date Tested: 06/05/2025



Thomas Shifflett

Thomas Shifflett
Director of Quality
06/06/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
<http://FDLAnalytical.com>
Lic# TES000012

Regulatory Compliance Testing

3 of 5

SafeBet - Bulk Infused Rolls .5g Each - Draw 4

METRC Sample: 1A40C0300002906000142951; METRC Batch: 1A40C0300002906000142950

Sample ID: 2506FDLA0745.3671	Produced:	Client
Strain: Draw 4	Collected: 06/04/2025	Curador Labs LLC MAN000047
Matrix: Plant	Received: 06/04/2025	Lic. # MAN000047
Type: Enhanced/Infused Flowers	Completed: 06/06/2025	7110 N Broadway Ave
Sample Size: ; Batch: 11,050 units	Batch#:	Saint Louis, MO 63147

Microbials

Pass

Analyte	Result	Status
Aspergillus	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass
Salmonella	Not Detected	Pass
Yeast & Mold	Not Detected	Pass

Date Tested: 06/06/2025

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1		10		ND	Tested
B2		10		ND	Tested
G1		10		<LOQ	Tested
G2		10		<LOQ	Tested
Total Aflatoxins		10		<LOQ	Tested
Ochratoxin A		10		ND	Tested

Date Tested: 06/05/2025

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.1	0.1	0.2	ND	Pass
Cadmium	0.1	0.1	0.2	ND	Pass
Chromium	0.1	0.1	0.6	ND	Pass
Lead	0.1	0.1	0.5	ND	Pass
Mercury	0.01	0.01	0.1	ND	Pass

Date Tested: 06/05/2025



Thomas Shifflett

Thomas Shifflett
Director of Quality
06/06/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
<http://FDLAnalytical.com>
Lic# TES000012

Regulatory Compliance Testing

4 of 5

SafeBet - Bulk Infused Rolls .5g Each - Draw 4

METRC Sample: 1A40C0300002906000142951; METRC Batch: 1A40C0300002906000142950

Sample ID: 2506FDLA0745.3671

Produced:

Client

Strain: Draw 4

Collected: 06/04/2025

Curador Labs LLC | MAN000047

Matrix: Plant

Received: 06/04/2025

Lic. # MAN000047

Type: Enhanced/Infused Flowers

Completed: 06/06/2025

7110 N Broadway Ave

Sample Size: ; Batch: 11,050 units

Batch#:

Saint Louis, MO 63147

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	1	1	2	ND	Pass
Acetone	93	93	750	ND	Pass
Acetonitrile	25	25	60	ND	Pass
Benzene	0.5	0.5	1	ND	Pass
Butane	5	5	800	ND	Pass
Chloroform	1	1	2	ND	Pass
Ethanol	25	25	1000	ND	Pass
Ethyl-Acetate	25	25	400	ND	Pass
Ethyl-Ether	1	1	500	ND	Pass
Ethylene Oxide	1	1	5	ND	Pass
Heptane	25	25	500	ND	Pass
Hexanes	5	5	50	ND	Pass
Isopropanol	25	25	500	ND	Pass
Methanol	93	93	250	ND	Pass
Methylene-Chloride	5	5	125	ND	Pass
Pentane	25	25	750	ND	Pass
Propane	25	25	2100	ND	Pass
Toluene	0.5	0.5	150	ND	Pass
Trichloroethylene	0.5	0.5	25	ND	Pass
Xylenes	10	10	150	ND	Pass

Date Tested: 06/05/2025



Thomas Shifflett

Thomas Shifflett
Director of Quality
06/06/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Results pertain only to items tested. Sampling SOP STL-GEN-00015. Reference limits/Decision rule: MO DHSS 19CSR100-1.FDL does not incorporate measurement uncertainty into the conformity decision.Measurement uncertainty can be provided upon request.



Fleur de Lis Analytical Laboratories
1515 N Broadway Ave
Saint Louis, MO 63102

(314) 410-5851
http://FDLAnalytical.com
Lic# TES000012

QA Testing

5 of 5

SafeBet - Bulk Infused Rolls .5g Each - Draw 4

METRC Sample: 1A40C0300002906000142951; METRC Batch: 1A40C0300002906000142950

Sample ID: 2506FDLA0745.3671

Produced:

Client

Strain: Draw 4

Collected: 06/04/2025

Curador Labs LLC | MAN000047

Matrix: Plant

Received: 06/04/2025

Lic. # MAN000047

Type: Enhanced/Infused Flowers

Completed: 06/06/2025

7110 N Broadway Ave

Sample Size: ; Batch: 11,050 units

Batch#:

Saint Louis, MO 63147

Terpenes

Analyte	LOD	LOQ	Result	Result		Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g			%	%	%	mg/g
β -Caryophyllene	0.05	0.05	0.72	7.2		cis-Ocimene	0.05	0.05	ND	ND
Linalool	0.05	0.05	0.29	2.9		Eucalyptol	0.05	0.05	ND	ND
Limonene	0.05	0.05	0.19	1.9		Fenchone	0.05	0.05	ND	ND
α -Humulene	0.05	0.05	0.18	1.8		γ -Terpinene	0.05	0.05	ND	ND
γ -Terpineol	0.05	0.05	0.10	1.0		Geraniol	0.05	0.05	ND	ND
α -Terpineol	0.05	0.05	0.09	0.9		Geranyl Acetate	0.05	0.05	ND	ND
trans-Nerolidol	0.05	0.05	0.08	0.8		Guaiol	0.05	0.05	ND	ND
β -Pinene	0.05	0.05	0.08	0.8		β -Humulene	0.05	0.05	ND	ND
Fenchol	0.05	0.05	0.08	0.8		Isoborneol	0.05	0.05	ND	ND
α -Bisabolol	0.05	0.05	0.07	0.7		Isopulegol	0.05	0.05	ND	ND
3-Carene	0.05	0.05	ND	ND		Menthhol	0.05	0.05	ND	ND
α -Cedrene	0.05	0.05	ND	ND		Nerol	0.05	0.05	ND	ND
α -Myrcene	0.05	0.05	ND	ND		Phytol	0.05	0.05	ND	ND
α -Phellandrene	0.05	0.05	ND	ND		Pulegone	0.05	0.05	ND	ND
α -Pinene	0.05	0.05	ND	ND		p-Cymene	0.05	0.05	ND	ND
α -Terpinene	0.05	0.05	ND	ND		Sabinene	0.05	0.05	ND	ND
β -Myrcene	0.05	0.05	ND	ND		Sabinene Hydrate	0.05	0.05	ND	ND
Borneol	0.05	0.05	ND	ND		Terpinolene	0.05	0.05	ND	ND
Camphene	0.05	0.05	ND	ND		trans-Ocimene	0.05	0.05	ND	ND
Camphor	0.05	0.05	ND	ND		Valencene	0.05	0.05	ND	ND
Caryophyllene Oxide	0.05	0.05	ND	ND		Nerolidol	0.05	0.05	0.08	0.8
Cedrol	0.05	0.05	ND	ND		Ocimene	0.05	0.05	ND	ND
cis-Nerolidol	0.05	0.05	ND	ND		Terpineol	0.05	0.05	0.18	1.8
Total									1.87	18.7

Primary Aromas

 Cinnamon	 Lavender	 Orange	 Pine	 Hops
---	---	---	---	---

Date Tested: 06/05/2025



Thomas Shifflett

Thomas Shifflett
Director of Quality
06/06/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Results pertain only to items tested. Sampling SOP STL-GEN-00015. Reference limits/Decision rule: MO DHSS 19CSR100-1.FDL does not incorporate measurement uncertainty into the conformity decision.Measurement uncertainty can be provided upon request.