



# Certificate of Analysis

Powered by Confident Cannabis  
1 of 5

Curador Labs LLC | MAN000047

7110 N Broadway Ave  
Saint Louis, MO 63147  
testing@curadorbrands.com

Lic. #MAN000047

Sample: 2211CWS0207.0854

Strain: Gass Pro  
Batch#: ; Batch Size: g  
Sample Received: 11/17/2022; Report Created: 11/17/2022; Expires: 12/17/2022

Sampling: ; Environment:

Blunt .5g - Gass Pro

Plant, Preroll, Unknown

Harvest Process Lot: ; METRC Batch: 1A40C0100002906000025959; METRC Sample: 1A40C0100002906000026352



## Safety

Pass  
Pesticides

Pass  
Microbials

Pass  
Mycotoxins

Pass  
Solvents

Pass  
Metals

Pass  
Foreign Matter

## Cannabinoids

21.08%

Total THC

0.28%

Total CBD

7.9%

Moisture

| Analyte | LOQ  | Mass  | Mass  |
|---------|------|-------|-------|
|         | %    | %     | mg/g  |
| THCa    | 0.00 | 23.91 | 239.1 |
| Δ9-THC  | 0.00 | 0.11  | 1.1   |
| Δ8-THC  | 0.00 | NR    | NR    |
| THCVa   | 0.00 | NR    | NR    |
| THCV    | 0.00 | 0.02  | 0.2   |
| CBDa    | 0.00 | 0.20  | 2.0   |
| CBD     | 0.00 | 0.11  | 1.1   |
| CBDVa   | 0.00 | NR    | NR    |
| CBDV    | 0.00 | ND    | ND    |
| CBNa    | 0.00 | NR    | NR    |
| CBN     | 0.00 | 0.27  | 2.7   |
| CBGa    | 0.00 | 0.16  | 1.6   |
| CBG     | 0.00 | 0.74  | 7.4   |
| CBCa    | 0.00 | NR    | NR    |
| CBC     | 0.00 | NR    | NR    |
| CBLa    | 0.00 | NR    | NR    |
| CBL     | 0.00 | 0.12  | 1.2   |
| Total   |      | 25.64 | 256.4 |

Total THC = THCa \* 0.877 + Δ9-THC  
Total CBD = CBDa \* 0.877 + CBD  
Instrument: LC/MS/MS

## Terpenes

| Analyte | LOQ | Mass | Mass | Analyte | LOQ | Mass | Mass |
|---------|-----|------|------|---------|-----|------|------|
|---------|-----|------|------|---------|-----|------|------|

Notes:



5151 State Road J  
Fulton, MO  
(573) 355-6455  
<http://www.confidentcannabis.com>  
Lic# TES000007

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)





# Certificate of Analysis

Powered by Confident Cannabis  
2 of 5

Curador Labs LLC | MAN000047

7110 N Broadway Ave  
Saint Louis, MO 63147  
testing@curadorbrands.com

Lic. #MAN000047

Sample: 2211CWS0207.0854

Strain: Gass Pro  
Batch#: ; Batch Size: g  
Sample Received: 11/17/2022; Report Created: 11/17/2022; Expires: 12/17/2022

Sampling: ; Environment:

## Blunt .5g - Gass Pro

Plant, Preroll, Unknown

Harvest Process Lot: ; METRC Batch: 1A40C0100002906000025959; METRC Sample: 1A40C0100002906000026352



### Mycotoxins

Pass

| Analyte          | cas | LOQ  | Limit | Mass | Status |
|------------------|-----|------|-------|------|--------|
|                  |     | PPM  | PPM   | PPM  |        |
| B1               |     | 0.00 | 0.02  | ND   | Pass   |
| B2               |     | 0.00 | 0.02  | ND   | Pass   |
| G1               |     | 0.00 | 0.02  | ND   | Pass   |
| G2               |     | 0.00 | 0.02  | ND   | Pass   |
| Ochratoxin A     |     | 0.00 | 0.02  | ND   | Pass   |
| Total Aflatoxins |     | 0.00 | 0.02  | ND   | Pass   |

### Microbials

Pass

| Analyte               | Limit | Mass  | Status |
|-----------------------|-------|-------|--------|
|                       | CFU/g | CFU/g |        |
| Aspergillus           | 1     | ND    | Pass   |
| Aspergillus flavus    | 1     | ND    | Pass   |
| Aspergillus fumigatus | 1     | ND    | Pass   |
| Aspergillus niger     | 1     | ND    | Pass   |
| Aspergillus terreus   | 1     | ND    | Pass   |
| E. Coli               | 1     | ND    | Pass   |
| Salmonella            | 1     | ND    | Pass   |
| Yeast & Mold          | 1     | ND    | Pass   |

Yeast and Mold is not tested per MO regulations.

### Heavy Metals

Pass

| Analyte  | LOQ   | Limit | Mass  | Status |
|----------|-------|-------|-------|--------|
|          | PPM   | PPM   | PPM   |        |
| Arsenic  | 0.000 | 0.200 | 0.010 | Pass   |
| Cadmium  | 0.000 | 0.200 | 0.010 | Pass   |
| Chromium | 0.000 | 0.600 | 0.031 | Pass   |
| Lead     | 0.000 | 0.500 | 0.013 | Pass   |
| Mercury  | 0.000 | 0.100 | 0.016 | Pass   |

### Residual Solvents

Pass

| Analyte             | cas | LOQ     | Limit    | Mass | Status |
|---------------------|-----|---------|----------|------|--------|
|                     |     | PPM     | PPM      | PPM  |        |
| 1,2-Dichloro-Ethane |     | 111.790 | 5.000    | ND   | Pass   |
| Acetone             |     | 109.440 | 5000.000 | ND   | Pass   |
| Acetonitrile        |     | 113.810 | 410.000  | ND   | Pass   |
| Benzene             |     | 0.570   | 2.000    | ND   | Pass   |
| Butane              |     | 97.120  | 5000.000 | ND   | Pass   |
| Chloroform          |     | 0.520   | 60.000   | ND   | Pass   |
| Ethanol             |     | 118.290 | 5000.000 | ND   | Pass   |
| Ethyl-Acetate       |     | 94.640  | 5000.000 | ND   | Pass   |
| Ethyl-Ether         |     | 106.990 | 5000.000 | ND   | Pass   |
| Ethylene Oxide      |     | 0.680   | 50.000   | ND   | Pass   |
| Heptane             |     | 182.780 | 5000.000 | ND   | Pass   |
| Hexanes             |     | 160.290 | 290.000  | ND   | Pass   |
| Isopropanol         |     | 110.070 | 5000.000 | ND   | Pass   |
| Methanol            |     | 115.940 | 3000.000 | ND   | Pass   |
| Methylene-Chloride  |     | 0.790   | 600.000  | ND   | Pass   |
| Pentane             |     | 111.460 | 5000.000 | ND   | Pass   |
| Propane             |     | 128.870 | 5000.000 | ND   | Pass   |
| Toluene             |     | 60.970  | 890.000  | ND   | Pass   |
| Trichloroethylene   |     | 0.670   | 80.000   | ND   | Pass   |
| Xylenes             |     | 111.790 | 2170.000 | ND   | Pass   |



5151 State Road J  
Fulton, MO  
(573) 355-6455  
<http://www.confidentcannabis.com>  
Lic# TES000007

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)





# Certificate of Analysis

Powered by Confident Cannabis  
3 of 5

Curador Labs LLC | MAN000047

Sample: 2211CWS0207.0854

7110 N Broadway Ave  
Saint Louis, MO 63147  
testing@curadorbrands.com

Strain: Gass Pro  
Batch#: ; Batch Size: g  
Sample Received: 11/17/2022; Report Created: 11/17/2022; Expires: 12/17/2022

Lic. #MAN000047

Sampling: ; Environment:

Blunt .5g - Gass Pro

Plant, Preroll, Unknown

Harvest Process Lot: ; METRC Batch: 1A40C0100002906000025959; METRC Sample: 1A40C0100002906000026352



## Pesticides

Pass

| Analyte              | LOQ    | Limit  | Mass   | Status |
|----------------------|--------|--------|--------|--------|
|                      | PPM    | PPM    | PPM    |        |
| Abamectin            | 0.0004 | 0.5000 | ND     | Pass   |
| Acephate             | 0.0004 | 0.4000 | ND     | Pass   |
| Acequinocyl          | 0.0004 | 2.0000 | 0.0030 | Pass   |
| Acetamiprid          | 0.0004 | 0.2000 | 0.0190 | Pass   |
| Aldicarb             | 0.0004 | 0.4000 | 0.0076 | Pass   |
| Azoxystrobin         | 0.0004 | 0.2000 | ND     | Pass   |
| Bifenazate           | 0.0004 | 0.2000 | ND     | Pass   |
| Bifenthrin           | 0.0004 | 0.2000 | ND     | Pass   |
| Boscalid             | 0.0004 | 0.4000 | 0.0040 | Pass   |
| Carbaryl             | 0.0004 | 0.2000 | 0.0190 | Pass   |
| Carbofuran           | 0.0004 | 0.2000 | 0.0080 | Pass   |
| Chlorantraniliprole  | 0.0004 | 0.2000 | 0.0100 | Pass   |
| Chlorfenapyr         | 0.0004 | 1.0000 | ND     | Pass   |
| Chlormequat chloride | 0.0004 | 0.2000 | 0.0350 | Pass   |
| Chlorpyrifos         | 0.0004 | 0.2000 | ND     | Pass   |
| Clofentezine         | 0.0004 | 0.2000 | ND     | Pass   |
| Cyfluthrin           | 0.0004 | 1.0000 | ND     | Pass   |
| Cypermethrin         | 0.0004 | 1.0000 | ND     | Pass   |
| Daminozide           | 0.0004 | 1.0000 | 0.0140 | Pass   |
| Diazinon             | 0.0004 | 0.2000 | 0.0100 | Pass   |
| Dichlorvos           | 0.0004 | 1.0000 | ND     | Pass   |
| Dimethoate           | 0.0004 | 0.2000 | ND     | Pass   |
| Ethoprophos          | 0.0004 | 0.2000 | 0.0020 | Pass   |
| Etofenprox           | 0.0004 | 0.4000 | ND     | Pass   |
| Etoxazole            | 0.0004 | 0.2000 | ND     | Pass   |



5151 State Road J  
Fulton, MO  
(573) 355-6455  
<http://www.confidentcannabis.com>  
Lic# TES000007

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)





# Certificate of Analysis

Powered by Confident Cannabis  
4 of 5

Curador Labs LLC | MAN000047

Sample: 2211CWS0207.0854

7110 N Broadway Ave  
Saint Louis, MO 63147  
testing@curadorbrands.com

Strain: Gass Pro  
Batch#: ; Batch Size: g  
Sample Received: 11/17/2022; Report Created: 11/17/2022; Expires: 12/17/2022

Lic. #MAN000047

Sampling: ; Environment:

Blunt .5g - Gass Pro

Plant, Preroll, Unknown

Harvest Process Lot: ; METRC Batch: 1A40C0100002906000025959; METRC Sample: 1A40C0100002906000026352



## Pesticides

Pass

| Analyte            | LOQ    | Limit  | Mass   | Status |
|--------------------|--------|--------|--------|--------|
|                    | PPM    | PPM    | PPM    |        |
| Fenoxycarb         | 0.0004 | 0.2000 | ND     | Pass   |
| Fenpyroximate      | 0.0004 | 0.4000 | ND     | Pass   |
| Fipronil           | 0.0004 | 0.4000 | 0.0070 | Pass   |
| Flonicamid         | 0.0004 | 1.0000 | 0.0310 | Pass   |
| Fludioxonil        | 0.0004 | 0.4000 | 0.0006 | Pass   |
| Hexythiazox        | 0.0004 | 1.0000 | ND     | Pass   |
| Imazalil           | 0.0004 | 0.2000 | 0.0130 | Pass   |
| Imidacloprid       | 0.0004 | 0.4000 | ND     | Pass   |
| Kresoxim Methyl    | 0.0004 | 0.4000 | ND     | Pass   |
| Malathion          | 0.0004 | 0.2000 | 0.0008 | Pass   |
| Metalaxyl          | 0.0004 | 0.2000 | 0.0010 | Pass   |
| Methiocarb         | 0.0004 | 0.2000 | ND     | Pass   |
| Methomyl           | 0.0004 | 0.4000 | 0.0160 | Pass   |
| Methyl Parathion   | 0.0004 | 0.2000 | ND     | Pass   |
| MGK-264            | 0.0004 | 0.2000 | ND     | Pass   |
| Myclobutanil       | 0.0004 | 0.2000 | 0.0290 | Pass   |
| Naled              | 0.0004 | 0.5000 | 0.0510 | Pass   |
| Oxamyl             | 0.0004 | 1.0000 | ND     | Pass   |
| Paclobutrazol      | 0.0004 | 0.4000 | ND     | Pass   |
| Permethrins        | 0.0004 | 0.2000 | 0.0390 | Pass   |
| Phosmet            | 0.0004 | 0.2000 | ND     | Pass   |
| Piperonyl Butoxide | 0.0004 | 2.0000 | ND     | Pass   |
| Prallethrin        | 0.0004 | 0.2000 | 0.0070 | Pass   |
| Propiconazole      | 0.0004 | 0.4000 | ND     | Pass   |
| Propoxur           | 0.0004 | 0.2000 | ND     | Pass   |



5151 State Road J  
Fulton, MO  
(573) 355-6455  
<http://www.confidentcannabis.com>  
Lic# TES000007

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)





# Certificate of Analysis

Powered by Confident Cannabis  
5 of 5

Curador Labs LLC | MAN000047

7110 N Broadway Ave  
Saint Louis, MO 63147  
testing@curadorbrands.com

Sample: 2211CWS0207.0854

Strain: Gass Pro  
Batch#: ; Batch Size: g  
Sample Received: 11/17/2022; Report Created: 11/17/2022; Expires: 12/17/2022

Lic. #MAN000047

Sampling: ; Environment:

Blunt .5g - Gass Pro

Plant, Preroll, Unknown  
Harvest Process Lot: ; METRC Batch: 1A40C0100002906000025959; METRC Sample: 1A40C0100002906000026352



## Pesticides

Pass

| Analyte         | LOQ    | Limit  | Mass   | Status |
|-----------------|--------|--------|--------|--------|
|                 | PPM    | PPM    | PPM    |        |
| Pyrethrins      | 0.0004 | 1.0000 | 0.0030 | Pass   |
| Pyridaben       | 0.0004 | 0.2000 | ND     | Pass   |
| Spinosad        | 0.0004 | 0.2000 | ND     | Pass   |
| Spiromesifen    | 0.0004 | 0.2000 | 0.0010 | Pass   |
| Spirotetramat   | 0.0004 | 0.2000 | ND     | Pass   |
| Spiroxamine     | 0.0004 | 0.4000 | ND     | Pass   |
| Tebuconazole    | 0.0004 | 0.4000 | ND     | Pass   |
| Thiacloprid     | 0.0004 | 0.2000 | ND     | Pass   |
| Thiamethoxam    | 0.0004 | 0.2000 | ND     | Pass   |
| Trifloxystrobin | 0.0004 | 0.2000 | ND     | Pass   |

CLEARWATER SCIENCE



5151 State Road J  
Fulton, MO  
(573) 355-6455  
<http://www.confidentcannabis.com>  
Lic# TES000007

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)

